



LCOT - Lincat Lynx 400 Tall Convection Oven - W 495 mm - D 570 mm - 2.5 kW

Lynx 400 Series Slim Convection Oven
2.5kW accommodates 4 x 2/3
gastronorms.

- ✓ Powerful fan assisted cooking for uniform heat, and consistent cooking results
- ✓ Powerful 2.5kW oven allows rapid heat up time
- ✓ Accommodates 4 x 2/3 gastronorms placed directly on shelf runners
- ✓ Easy plug and play operation - 13A plug
- ✓ Temperature range 50 - 250°C
- ✓ Simple dial controls with 55 minute timer enabling accurate cooking time
- ✓ Side opening door with double glazed glass viewing panel, for energy efficiency, and cool touch door
- ✓ Two removable chromed rod shelves
- ✓ User-replaceable inner door glass, light bulb and door seal

Specifications

Summary

Brand	Lincat
Range	Lynx 400
Power Type	Electric
Unit Type	Counter-top
Available in UK Only	No
UK Warranty	2 Years Parts and Labour Warranty
Export Warranty	Contact your local dealer
GTIN	5056105118695

Power and Performance

Total Power kW	2.5
Temperature Range °C	50-250
IP Rating	IP24
Controls Position	Lower front
Temperature Control	Mechanical
Timer Range mins	55

Key Specifications

Stackable	No
Feet Height/Type	14mm/Rubber
Continuous Plug-In Door Seal	No
Removable Inner Door Glass	Yes
Handle Type	Grab
Vented Door	Yes
Reversible Door	No
Door Type	Left Hinged
Phased Cooking	No
Shelf Timer(s) (Number)	No
Grill Element/Mode	No
Core Temp Probe	No
Steam Injection	No
Fan(s) Speed	1
Fan(s) Type	Single direction
Number of Fan(s)	1
Removeable Shelf Guides	Yes
Manual Mode	Yes
Programmable	No
Timer Type	Mechanical
Number of Shelves included	2
Number of Shelf Positions	4
Type of Lighting	Filament Bulb
Construction/Finish	Stainless Steel
GN Compatible	Yes

Capacity

Gastronorm Capacity	4 x GN2/3
Shelf Spacing mm	80
Capacity Litres	53.64

Weights and Dimensions


Unit Height (External) mm	520
Unit Width (External) mm	495
Unit Depth (External) mm	570
Height (Internal) mm	362
Width (Internal) mm	380
Depth (Internal) mm	390
Shelf Dimensions Width mm	378
Shelf Dimensions Depth mm	326
Net Weight Kg	29.3

Supply Connections

Requires Installation	No
Requires Electrical Supply	Yes
UK 3 Pin Plug	Yes
Requires Hardwiring	No
Electrical Supply Rating Watts	2,500
Single Phase Amps	10.9
Single Phase Voltage	230
USB Port	No

Shipping

Packed Weight Kg	38.3
Packed Height cm	76.5
Packed Width cm	68.5
Packed Depth cm	81.3

Technical Picture


**Lincat Limited**

Whisby Road,
Lincoln, LN6 3QZ,
United Kingdom

Company No: 2175448

A member company of

**Customer Care**

Tel: +44 1522 875500

Email: care@lincat.co.uk

Export Customers

Tel: +44 1522 503250

Email: export@lincat.co.uk

Opening Hours

Monday – Friday:

8.30am – 5pm