

ALFA43XE1HDS

Product Family	Ovens
Subfamily	Convection ovens
Oven type	Multifunction convection oven with humidifier
Oven controls	Electronic
Tray capacity	4 trays 435x320 mm - GN2/3
Default power supply	230 V~ / 13 A / 3,0 kW / 50 Hz
Steam technology	Direct
App for recipe development and upload	Yes
Product width	608 mm
Product depth	642 mm
Product height	537 mm
Maximum depth with open door	1178 mm
Adjustable feet	Yes
Net weight (kg)	38.300 kg



Target

Potential users	Bars/Cafes; Hotels; Restaurants/Catering; Bakery/Pastry making; Industrial pastry & bakery test kitchen; Butcher's shops; QSR
------------------------	--

Aesthetics

Colour	Stainless steel	Digital display colour	White
Door with stainless steel strip	Yes	Front panel	Yes
Display type	LCD	Logo	Smeg printed

Controls

Number of recipes	99	HACCP data	Scheduled start H/12
Adjustable timer	1 min - 99hrs + continuous	Self diagnostic	Yes
Cooking steps	3 + pre-heating		

Programs / Functions

Cooking functions

 Fan assisted	 Fan assisted with humidification	 Fan assisted with large grill
 Upper & lower elements	 Lower element	 Fan assisted lower element
 Fan assisted with upper & lower elements	 Large grill	 Fan assisted grill

Adjustable fan speed

 Double speed fan

Options

Condense hood	Restaurants/Catering
---------------	----------------------

Accessories Included



Flat aluminium tray 3820	4 x trays	Water connection pipe	Yes
--------------------------	-----------	-----------------------	-----

Construction

Oven material	Stainless steel/glass/plastics	Steam assisted levels	5 + manual
Cavity dimensions (WxDxH)	460x360x425mm	Exhaust exit	Back
Internal net volume	54.5 lt	Time adjustment	Electronic timer
Cavity material	Easy clean enamel	Temperature range	30-270°C
No. of shelves	4	End of cooking alarm	Yes
Tray support frame	Chrome	Heating element interruption with open door	Yes
Distance between shelves	80 mm	Manual safety thermostat reset	Yes
Door construction	Yes	Removable deflector	Yes
Door opening	Drop down	No. of lights	1 Halogen light
Handle type	Smeg	Light power	40 W
Inner glass	Removable	USB port	Yes
Fan type and number	1	Water connection	Yes
Fan motor power	Double speed	Plug	(F;E) Schuko

Fan speed Double speed
Max motor speed (rpm) 2700 rpm
Low motor speed (rpm) 2100 rpm
Humidification system on each fan Yes

Power cable length 115 cm
Back panel Galvanized
IPX protection Scheduled start H/12



Q	MORSETTO EQUIPOTENZIALE EARTH TERMINAL
E	CAVO ALIMENTAZIONE ELETTRICA ELECTRICITY SUPPLY CABLE
C	TUBO DI CARICO (solo su alcuni modelli) FILLER HOSE (on some models only)

Not included accessories



3820
Flat aluminium tray



4730
External tank kit 5 lt.



3780
Flat non-stick trays



3755
Flat perforated aluminium tray



3926
Air flow reducer kit

Symbols glossary



Double speed fan



Fan with lower element



Fan forced



Fan with humidification



Fan with large grill



Lower heating element



Large grill



Upper and lower elements



Upper and lower element heating with fan



Fan grill heating