

ELECTRIC HOT BOX

Project:
Rev:
Zone:
Location:



CODICE
CR0989939

MODELLO
D72/10TSPE

SERIE
DIAMANTE70



GENERAL CHARACTERISTICS

In addition to offering the widest choice of solutions and 2 mm thick and 70 cm deep tops, this series has all the power, robustness and functionality you need to work efficiently. Scotch Brite finish stainless steel outer shells and feet. Worktop height adjustable from 840 to 900 mm. Modularity of range: 200-400-600-800-1200 Wide range of accessories.

TECHNICAL SPECIFICATIONS

Hot container also with upper infrared heating element

Equipment certified for low voltage directive 2014/35/EU according to the international CB scheme.

Thanks to the jet-proofing certification obtained in specific tests, the knobs and under-knobs can be washed, without compromising functionality and safety.

ELECTRIC HOT BOX

Project:
Rev:
Zone:
Location:



CODICE
CR0989939

MODELLO
D72/10TSPE

SERIE
DIAMANTE70

Technical Information

| SPECIFICATION | DATA |
|-----------------------|-------------------------------|
| MATERIAL | CR0989939 |
| DEFINITION | D72/10 TSPE TOP POTATO WARMER |
| COMMERCIAL LINE | DIAMANTE |
| SUPPLY | ELECTRICS |
| DIM. WIDTH | 400 mm |
| DIM. PRODUCTIVITY | 730 mm |
| DIM. HEIGHT | 250 mm |
| NET WEIGHT | 68,000 Kg |
| VOLUME (net) | 0,073 |
| PACKAGE LENGTH | 460,000 mm |
| PACKAGE WIDTH | 850,000 mm |
| PACKAGING HEIGHT | 670,000 mm |
| PACKAGE VOLUME | 0,262 m3 |
| GROSS PACKING WEIGHT | 75,000 Kg |
| STANDARD POWER SUPPLY | 220-240V 1N |
| FREQUENCY | 50-60 Hz |
| ELECTRICAL POWER | 2,000 kW |
| IP GRADE | IPX4 |
| CERTIFIED MODEL | D72/10 TSPE |

ELECTRIC HOT BOX

Project:
 Rev:
 Zone:
 Location:



CODICE
CR0989939



MODELLO
D72/10TSPE

SERIE
DIAMANTE70




SCHEMA DI INSTALLAZIONE - INSTALLATION DIAGRAM - INSTALLATIONSPLAN - SCHÉMA D'INSTALLATION - ESQUEMA DE INSTALACION - INSTALLATIESCHEMA - IINSTALLATIONSRIITNINGAR

MISURE IN cm - DIMENSIONS IN cm - ABMESSUNGEN IN cm
 MESURES EN cm - MEDIDAS EN cm - MATEN IN cm

(D) 72/10 TSPE



(D) 72/10 SPE



Legenda - Legende - Key - Légende - Leyenda - Legenda

- E** Pressacavo entrata linea elettrica - Stopfbuchse - Electric cable stress relief
 Presse étoupe de câble él. - Pisacable - Elektrische kabelwartel

ELECTRIC HOT BOX

Project:
Rev:
Zone:
Location:




CODICE
CR0989939

MODELLO
D72/10TSPE

SERIE
DIAMANTE70

Product's PLUS



Hot container also with upper infrared heating element

Equipment certified for low voltage directive 2014/35/EU according to the international CB scheme.



Thanks to the jet-proofing certification (IPX5) obtained through specific tests, knobs and under-knobs can be washed, without compromising functionality and safety.

ELECTRIC HOT BOX

Project:
Rev:
Zone:
Location:



CODICE
CR0989939

MODELLO
D72/10TSPE

SERIE
DIAMANTE70

ACCESSORIES

| CODE | MODELLO | DESCRIZIONE |
|------------|----------|---|
| CR1354789 | D72/10B | Open base 40cm Series 70 |
| CR0599709 | 72/10 BH | Open base - hygienic finish H2 40cm series 70 |
| CR1200099 | D7FC40 | |
| CR0996979 | DBVP4 | |
| CR0997009 | DBVPA4 | |
| CR0997029 | DAPC | |
| CR0997019 | DAPD | |
| CR0997039 | DAPS | |
| CR0997049 | DAPM | |
| CR0997059 | DAPDB | |
| CR1353589 | DBVC4 | |
| CR1353559 | DRG11 | |
| CR0592779 | ZF4 | |
| CR0592830 | ZG | |
| MA97432000 | R | |
| MA97433000 | RI | |
| CR0592869 | PZM | |
| CR0593580 | 9PT | |
| CR0592879 | KPA | |
| CR0599649 | 7ZL | |