



EB6FX - FilterFlow Counter-top Automatic Water Boiler - W 250 mm - 6.0 kW

Efficient both in its use of space and in its use of energy, the high-volume FilterFlow Automatic Water Boiler is perfect for busy staff rooms and anywhere where employees have to wait for the kettle to boil.

- ✓ For high volume requirements
- ✓ Narrow 250mm footprint saves valuable counter space without compromising capacity or performance
- ✓ Built-in water filtration system improves water quality and reduces scale build-up. High volume, easy change FilterFlow cartridge
- ✓ Easily operated from a large, colour touchscreen display. Menu navigation is quick and easy with the temperature and timer simple to adjust
- ✓ Eco setting reduces the volume of boiling water by 50% for quieter periods. The intelligent predictive eco setting learns usage patterns and switches between eco mode and standard mode to deliver the required hot water output in the most economical way
- ✓ 7-day timer allows the boiler to be programmed to switch off overnight or at weekends to conserve energy
- ✓ Enhanced diagnostics identify possible causes. The on screen diagnostic information will enable the engineer to identify the parts needed and repair your water boiler at first visit

Specifications

Summary		Power and Performance	
Range Name	FilterFlow	Hot and Cold Water Output	No
Power Type	Electric	Rapid Draw Off Litres	18.0
Unit Type	Counter-top	Total Power kW	6.0
Available in UK Only	No	Temperature Range °C	70 - 98
UK Warranty	2 Years Parts and Labour Warranty	IP Rating	IP23
Export Warranty	Contact your local dealer	Rapid Draw Off Cups	90
GTIN Code	5056105105565	Hourly Output Litres	60
		Hourly Output Cups	300
		Temperature Control	Electronic

Key Specifications		Weights and Dimensions	
Capacity Litres	22.0	Unit Height (External) mm	685
Outlet	Single-tap	Unit Width (External) mm	250
Dispense Lock	No	Unit Depth (External) mm	525
WRAS Approved	Yes	Net Weight Kg	16

Supply Connections		Shipping	
Requires Installation	Yes	Packed Weight Kg	18.8
UK 3 Pin Plug	No	Packed Height cm	53
Requires Hardwiring	Yes	Packed Width cm	78.5
Electrical Supply Rating Watts	6,000	Packed Depth cm	36.6
Single Phase Amps	26.0		
Single Phase Voltage	230		
Water Connection BSPT	3/4"		
Water Connection Pressure Bar	6.0		

Available Accessories

BR56

EB6FX WALL BRACKET

DP10


DESCALER POWDER

Available Accessories

FC04

EBFX WATER FILTER - FROM 2015

Technical Picture





Lincat Limited

Whisby Road,
Lincoln, LN6 3QZ,
United Kingdom

Company No: 2175448

A member company of



Customer Care

Tel: +44 1522 875500

Email: care@lincat.co.uk

Export Customers

Tel: +44 1522 503250

Email: export@lincat.co.uk

Opening Hours

Monday – Friday:

8.30am – 5pm