

ELECTRIC COOKER WITH 2 SQUARE TOP PLATES

Project:
Rev.:
Zone:
Location:



CODICE
CR0995619

MODELLO
D92/10TCEPQ

SERIE
DIAMANTE90



GENERAL CHARACTERISTICS

In addition to offering the maximum choice of solutions and 2 mm thick and 90 cm deep tops, this series has all the power, robustness and functionality you need to work efficiently. External coatings and feet in stainless steel with Scotch Brite finish. Working table height adjustable from 840 to 900 mm. Range modularity: 200-400-600-800-1200. Wide range of accessories.

TECHNICAL SPECIFICATIONS

Square 300x300 mm cast iron heating plates, maximum power 4 kW, equipped with safety thermostat.
Heating control with 7-position selector switch.

Square plates of 30x30 each, fixed watertight on the worktop.

The temperature is adjusted by means of a 7-position selector switch, and a warning light indicating the activation of the heating is located on the

dashboard.

Equipment certified for low voltage directive 2014/35/EU according to the international CB scheme.

Thanks to the jet-proofing certification (IPX5) obtained through specific tests, knobs and under-knobs can be washed, without compromising functionality and safety.

ELECTRIC COOKER WITH 2 SQUARE TOP PLATES

Project:
Rev:
Zone:
Location:



CODICE
CR0995619

MODELLO
D92/10TCEPQ

SERIE
DIAMANTE90

Technical Information

SPECIFICATION	DATA
MATERIAL	CR0995619
DEFINITION	D92/10 TCEPQ 2 SQUARE TOP PLATES
COMMERCIAL LINE	DIAMANTE
SUPPLY	ELECTRICS
DIM. WIDTH	400 mm
DIM. PRODUCTIVITY	900 mm
DIM. HEIGHT	250 mm
NET WEIGHT	61,800 Kg
VOLUME (net)	0,090
PACKAGE LENGTH	460,000 mm
PACKAGE WIDTH	1020,000 mm
PACKAGING HEIGHT	670,000 mm
PACKAGE VOLUME	0,314 m3
GROSS PACKING WEIGHT	70,000 Kg
STANDARD POWER SUPPLY	380-415V 3N
FREQUENCY	50-60 Hz
ELECTRICAL POWER	8,000 kW
N. FIRES/PLATES	QUATTRO FUOCHI
VOLTAGE	400
IP GRADE	IPX5
CERTIFIED MODEL	D92/10 TCEPQ

ELECTRIC COOKER WITH 2 SQUARE TOP PLATES

Project:
 Rev:
 Zone:
 Location:


CODICE
CR0995619

MODELLO
D92/10TCEPQ

SERIE
DIAMANTE90

SCHEMA DI INSTALLAZIONE - INSTALLATION DIAGRAM - INSTALLATIONSPLAN - SCHÉMA D'INSTALLATION - ESQUEMA DE INSTALACION - INSTALLATIESCHEMA - IINSTALLATIONSRIITNINGAR

MISURE IN cm - DIMENSIONS IN cm - ABMESSUNGEN IN cm
 MESURES EN cm - MEDIDAS EN cm - MATEN IN cm



Legenda - Legende - Key - Légende - Leyenda - Legenda

E Pressacavo entrata linea elettrica - Stopfbuchse
 Electric cable stress relief - Presse étoupe de câble él
 Pisacable - Elektrische kabelwartel

H20* Attacco arrivo acqua - Wasseranschluss - Water inlet
 Arrivée eau - Union de agua - Wateraansluiting
EN ISO 228-1 G 3/4

ELECTRIC COOKER WITH 2 SQUARE TOP PLATES

Project:
Rev:
Zone:
Location:



CODICE
CR0995619

MODELLO
D92/10TCEPQ

SERIE
DIAMANTE90

Product's PLUS



Thanks to the jet-proofing certification (IPX5) obtained through specific tests, knobs and under-knobs can be washed, without compromising functionality and safety.



Square plates of 30x30 each, fixed watertight on the worktop.



The temperature is adjusted by means of a 7-position selector switch, and a warning light indicating the activation of the heating is located on the dashboard.

Equipment certified for low voltage directive 2014/35/EU according to the international CB scheme.



ELECTRIC COOKER WITH 2 SQUARE TOP PLATES

Project:
Rev:
Zone:
Location:



CODICE
CR0995619

MODELLO
D92/10TCEPQ

SERIE
DIAMANTE90

ACCESSORIES

CODE	MODELLO	DESCRIZIONE
CR1355449	D92/10B	Open base 40cm series 90
CR0996979	DBVP4	
CR0997009	DBVPA4	
CR0997029	DAPC	
CR0997019	DAPD	
CR0997039	DAPS	
CR0997049	DAPM	
CR0997059	DAPDB	
CR1353589	DBVC4	
CR0592659	92/10 BH	Open base - Hygienic finish H2 40cm Series 90
CR1353559	DRG11	
CR0592329	9FC40	
CR0592779	ZF4	
CR0592830	ZG	
CR0592820	9ZL	
MA97432000	R	
MA97433000	RI	
CR0592869	PZM	
CR0593580	9PT	
CR0592879	KPA	
CR0592940	9CAT *	Water column for top equipment