

GAS BAIN-MARIE ON OPEN CUPBOARD

CODE
CR0990319

MODEL
D72/10CBG

SERIE
DIAMANTE70

Project:

Rev.:

Zone:

Location:



weinnovate cooking



GENERAL FEATURES

- In addition to offering the maximum choice of 2 mm thick solutions and plans and 70cm depths, this series is equipped with all the power, robustness and functionality you need to work efficiently.
- External coatings and stainless steel feet Britite Scotch Finish.
- Height of the adjustable work surface from 840 to 900mm.
- Gamma modularity: 200-400-600-800-1200
- Wide range of accessories.
-

TECHNICAL DATA

- GAS BAIN-MARIE ON OPEN CUPBOARD
- Outer casing and feet in stainless steel.
- Adjustable worktop height, ranging from 840 to 900 mm.
- Pan that are suitable to contain bowls that are 150 mm high.
- Perforated false bottom to support recipients.
- Temperature regulation from 30° to 90°C.
- Bowl equipped with overflow device.
- Burner controlled by thermocouple thermostat safety valve and piezo electric lighter.

GAS BAIN-MARIE ON OPEN CUPBOARD

CODE
CR0990319

MODEL
D72/10CBG

SERIE
DIAMANTE70

TECHNICAL INFORMATION

SPECIFICATIONS	DATA
CODE	CR0990319
DEFINITION	D72/10 CBG BAGNOMARIA GAS M40 VANO G.
COMMERCIAL LINE	DIAMANTE
SUPPLY	GAS
WIDTH	400 MM
DEPTH	730 MM
HEIGHT	870 MM
NET WEIGHT	68,800
VOLUME	0,254 M3
PACKAGING LENGTH	460,000
PACKAGING WIDTH	850,000
PACKAGING HEIGHT	1150,000
PACKAGING VOLUME	0,450
PACKAGING GROSS WEIGHT	78,000
GAS POWER (G30/30 MBAR)	3,00 KW
GAS POWER (G25/25 MBAR)	2,80 KW
CERTIFIED MODEL	D72/10 CBG
CERTIFICATION NUMBER	CE-0085BS0153
CERTIFICATION BODY	0085

GAS BAIN-MARIE ON OPEN CUPBOARD

 CODE
CR0990319

 MODEL
D72/10CBG

 SERIE
DIAMANTE70

ACCESSORIESES

CODE	MODEL	DESCRIPTION
BACGN1/1	BACGN1/1	BACINILLAS GN 1/1 H.150 MM.
BACGN1/2	BACGN1/2	BACINILLAS GN 1/2 h.150 mm.
BACGN1/3	BACGN1/3	BACINILLAS GN 1/3 H.150 MM.
BACGN1/4	BACGN1/4	BACINILLAS GN 1/4 H.150 MM.
BACGN1/6	BACGN1/6	BACINILLAS GN 1/6 H.150 MM.
BACGN1/9	BACGN1/9	BACINILLAS GN 1/9 H.150 MM.
BACGN2/3	BACGN2/3	BACINILLAS GN 2/3 H.150 MM.
COPGN1/1	COPGN1/1	LIDS FOR BACINILLAS GN 1/1
COPGN1/2	COPGN1/2	LIDS FOR BACINILLAS GN 1/2
COPGN1/3	COPGN1/3	LIDS FOR BACINILLAS GN 1/3
COPGN1/4	COPGN1/4	LIDS FOR BACINILLAS GN 1/4
COPGN1/6	COPGN1/6	LIDS FOR BACINILLAS GN 1/6
COPGN1/9	COPGN1/9	LIDS FOR BACINILLAS GN 1/9
COPGN2/3	COPGN2/3	LIDS FOR BACINILLAS GN 2/3
CR0996979	DBVP4	PORTINA COTTURA DIAMANTE, VANI DA 400
CR0997009	DBVPA4	PORTINA ACCESSORIABILE
CR0997029	DAPC	DOORCOLTELLI
CR0997019	DAPD	DOORDOSATORI
CR0997039	DAPS	DOORSPEZIE
CR0997049	DAPM	DOORMESTOLI
CR0997059	DAPDB	DOORDOSATORI/BOTTIGLIE
CR1353589	DBVC4	DBVC4 KIT DRAWERS BASE M40
CR0599709	72/10BH	NEUTRAL BASES WITH HYGIENIC FINISHING TYPE H2
CR1353559	DRG11	GRILL HOLDERS GN 1/1
CR1200099	7FC40	BOTTOM WARM FOR UNITS
CR0592779	NXZF4	PLINTH FRONT M40 NXZF4
CR0592830	NX9ZG	GIUNZIONE ZOCCOLATURA
CR0599649	7ZL	SIDE PLINTH NX7ZL
MA97432000	NXR	SET OF WHEELS NXR
MA97433000	NXRI	SET OF WHEELS INOX NXRI
CR0592940	NX9CAT	WATER TAP PER TOP NX9CAT
CR0599859	7CAM	WATER TAP
CR0592869	CR0592869	4 PIEDI X INSTALL.SU ZOCCOLO DI CEMENTO
CR0593580	NX9PT	KIT PIEDINI PER TOP NX9PT
CR0592879	CR0592879	KIT ANTI RIBALTAMENTO 2 PIEDI X N900
CR0592399	NXTVT1	KIT PANNELLI X BASE TECN.1 FRONTE NXTVT1
CR0592409	NXTVT2	KIT PANNELLI X BASE TECN.2 FRONTI NXTVT2
PTD7DX	PTD7DX	END SIDE RIGHT ELEMENT
PTD7SX	PTD7SX	END SIDE LEFT ELEMENT

GAS BAIN-MARIE ON OPEN CUPBOARD


CODE
CR0990319

MODEL
D72/10CBG

SERIE
DIAMANTE70

we cook with
Diamante

Product's PLUS



Pan temperature control with overflow and perforated false bottom to support pans. GN pan size.



Thanks to the water jet ingress protection rating, awarded after passing specific tests, knobs and knob bezels can be washed at the end of the working day without affecting performance or safety.

GAS BAIN-MARIE ON OPEN CUPBOARD

CODE
CR0990319


MODEL
D72/10CBG

SERIE
DIAMANTE70



SCHEMA DI INSTALLAZIONE - INSTALLATION DIAGRAM - INSTALLATIONSPLAN - SCHÉMA D'INSTALLATION - ESQUEMA DE INSTALACION - INSTALLATIESCHEMA - IINSTALLATIONSRITNINGAR

MISURE IN cm - DIMENSIONS IN cm - ABMESSUNGEN IN cm
MESURES EN cm - MEDIDAS EN cm - MATEN IN cm


(D) 72/10 TCBG







(D) 74/10 TCBG



(D) 72/10 CBG



(D) 74/10 CBG



Legenda - Legende - Key - Légende - Leyenda - Legenda

- G** Attacco arrivo gas - Gasanschluss - Gas connection
Arrivée gaz - Union de gaz - Gasaansluiting
EN 10226-1 R 1/2 ; EN ISO 228-1 G 1/2 (DK)
- S** Attacco scarico acqua - Wasserablauf - Water outlet
Vidange de l'eau - Desaguadero - Wateraftapaansluiting
EN 10226-1 R 1/2