

Super GAS Grill M120 - Stainless Steel Rod Grill - M120 Top Version

Project:
Rev.:
Zone:
Location:



CODICE
CR1655289

MODELLO
D76/10TSGGP

SERIE
DIAMANTE70



GENERAL CHARACTERISTICS

In addition to offering the widest choice of solutions and 2 mm thick and 70 cm deep tops, this series has all the power, robustness and functionality you need to work efficiently. Scotch Brite finish stainless steel outer shells and feet. Worktop height adjustable from 840 to 900 mm. Modularity of range: 200-400-600-800-1200 Wide range of accessories.

TECHNICAL SPECIFICATIONS

Grid height adjustment device on two levels.
Canal with drainage hole and removable grease and residue collection.
Internal drawer for collecting residues.
4 Grill types available: meat, fish, mixed stainless steel and reversible cast iron meat/fish version
GRILL, HUMIDIFIER ACCESSORIES: Always available as accessories for all versions.
Changing the type of cooking also in the utility GAS Grill / lava stone, with dedicated accessories
In gas versions, the power is regulated by a continuously variable tap to adapt the heat of the hotplate to the type of cooking
Smoker that can be installed on the M80 - M120 models for a barbecue-flavoured menu

Larger, recessed grease trough on the worktop, easier to clean and more capacious

HUMIDIFIER accessory for optimal management of several types of cooking.

Grill height adjustment for handling different types of cooking

4 Grill types available: meat, fish, mixed stainless steel and reversible cast iron meat/fish version

Changing the type of cooking also in the utility GAS Grill / lava stone, with dedicated accessories

In gas versions, the power is regulated by a continuously variable tap to adapt the heat of the hotplate to the type of cooking

Super GAS Grill M120 - Stainless Steel Rod Grill - M120 Top Version

Project:
Rev:
Zone:
Location:



CODICE
CR1655289

MODELLO
D76/10TSGGP

SERIE
DIAMANTE70

Technical Information

| SPECIFICATION | DATA |
|--------------------------|-------------------------------------|
| MATERIAL | CR1655289 |
| DEFINITION | D76/10TSGGP GAS GRILL FISH M120 TOP |
| COMMERCIAL LINE | DIAMANTE |
| SUPPLY | GAS |
| DIM. WIDTH | 1200 mm |
| DIM. PRODUCTIVITY | 730 mm |
| DIM. HEIGHT | 250 mm |
| NET WEIGHT | 1,000 Kg |
| VOLUME (net) | 0,219 |
| PACKAGE LENGTH | 1240,000 mm |
| PACKAGE WIDTH | 850 mm |
| PACKAGING HEIGHT | 570,000 mm |
| PACKAGE VOLUME | 0,606 m3 |
| GROSS PACKING WEIGHT | 2,000 Kg |
| GAS POWER | 30,00 |
| GAS POWER (G25.3/25mbar) | 28,50 |
| CERTIFIED MODEL | D76/10TSGG |

Super GAS Grill M120 - Stainless Steel Rod Grill - M120 Top Version

Project:
 Rev:
 Zone:
 Location:




CODICE
CR1655289

MODELLO
D76/10TSGGP

SERIE
DIAMANTE70

MISURE IN cm - DIMENSIONS IN cm - ABMESSUNGEN IN cm- MESURES EN cm
 MEDIDAS EN cm - MATEN IN cm - DIMENSIONES EN cm



Legenda - Legende - Key - Légende - Leyenda - Legenda - Legenda

| | |
|--|---|
| E Pressacavo entrata linea elettrica - Stopfbuchse - Electric cable stress relief - Presse étoupe de câble él - Pisacable - Elektrische kabelwarterl - Entrada cabo eléctrico | G Arrivo gas - Gasanschluss - Gas connection - Arrivée gaz - Union de gas - Gasaansluiting - Ligação gás EN 10226-1 R 1/2; EN ISO 228-1 G 1/2 (DK) |
| S Attacco scarico acqua - Wasserablauf - Water outlet - Vidange de l'eau - Desaguadero - Wateraftapaansluiting - Junção descarga água | H20 Arrivo acqua - Wasseranschluss - Water inlet - Arrivée eau - Union de agua - Wateraansluiting - Junção alimentação água |
| S1 Scarico vasca - Wannabflussrohr - Pan outlet - Vidange du bac - Descarga cuba - Water toevoer - Descarga da cuba | A1 = Calda - Heiss - Warm - Chaud - Caliente - Warm - Morno A2 = Fredda - Kalt - Cold - Froid - Fria - Koude - Frio |
| S2 Valvola di depressione - Anti-depression valve - Unterdruck ventil - Soupape de dépression - Válvula de depresión - Onderdrukklep - Válvula de depressão | |
| S3 Scarico acqua intercapedine - Wasserablauf Zwischenraum - Jacket water drain Evacuation eau double envelope - Descarga de agua intersticios - Afvoer water tussenruimte - Descarga de água na marmita com Sistema de aquecimento indirecto | |
| S4 Scarico - Abflussrohr - Drain - Tuyau d'évacuation - Tubo de drenaje - Aftapbuis - Tubulação de dreno | L Rubinetto di livello - Level tap - Wasserhahn - Robinet de niveau - Grifo de nivel - Niveaakraan - Torneira de nivel |

Super GAS Grill M120 - Stainless Steel Rod Grill - M120 Top Version

Project:
 Rev:
 Zone:
 Location:



CODICE
CR1655289

MODELLO
D76/10TSGGP

SERIE
DIAMANTE70


Product's PLUS



Grill height adjustment for handling different types of cooking



Smoker that can be installed on the M80 - M120 models for a barbecue-flavoured menu



4 Grill types available: meat, fish, mixed stainless steel and reversible cast iron meat/fish version



Larger, recessed grease trough on the worktop, easier to clean and more capacious



Changing the type of cooking also in the utility GAS Grill / lava stone, with dedicated accessories



HUMIDIFIER accessory for optimal management of several types of cooking.



In gas versions, the power is regulated by a continuously variable tap to adapt the heat of the hotplate to the type of cooking

Super GAS Grill M120 - Stainless Steel Rod Grill - M120 Top Version

Project:
Rev:
Zone:
Location:



CODICE
CR1655289

MODELLO
D76/10TSGGP

SERIE
DIAMANTE70

ACCESSORIES

| CODE | MODELLO | DESCRIZIONE |
|-----------|---------|-------------|
| CR1656529 | D7CAA | |
| CR1656539 | D7CAG | |
| CR1353899 | DCPL4 | |
| CR1656549 | D7KP4 | |
| CR1656559 | D7AF | |
| CR1656569 | D7KU4 | |