
TOP SHELF CORNER DRAINBOARDS

TS & TSF Series Inside & Outside Corner Drainboards







MODELS				
Inside Corners				
TS SERIES	TSF SERIES			
TS45D-FI	TSF45D-FI			

Outside Corners			
TS SERIES	TSF SERIES		
TS45D-FO	TSF45D-FO		

KEY PRODUCT FEATURES AND BENEFITS

TS45D-FO

- Drainboard tops have drain lines indented towards the drain so water is evacuated quickly and effectively, with the matching insert you get a flat, level space to store your glassware.
- The default option of 'stadium' shaped perforated inserts enable great air flow for efficient glassware drying, maximize glass storage, and are designed to hold up to a busy bar environment abuse.
- Our new, more robust Perlick Quick Clamp leg attachment still features easy tool-less installation.
- All stainless construction with 18 gauge seamless stainless steel front apron for durability and cleanability.
- All Perlick drainboards are NSF-certified, so you can feel confident knowing your equipment will meet health code standards.

Additional Features:

- Optional Perlick Flex Mount leg relocation kit moves rear legs forward for additional space behind the equipment or moves forward legs rearward to help avoid pesky floor drains, available on TSF units.
- Stainless steel legs with adjustable thermoplastic feet install without tools, option on several units.

TOP SHELF CORNER DRAINBOARDS TS & TSF Series Inside & Outside Corner Drainboards

INSIDE CORNERS

MODEL NOS.		TS45D-FI	TSF45D-FI	
DESCRIPTION	Corner Angle	45° Full Corner		
	Depth in. (mm)	18-9/16" (471)	24" (610)	
	Weight lb. (kg)	45 (20)		
MATERIALS	ERIALS Construction All stainless steel			
	Front & Back Seamless 18 gauge stainless steel			
	Backsplash 6" or 4" high stainless steel with 1" return, fastened and sealed.			
	Drainboard	Pitched stainless steel drainboard top, All horizontal and vertical edges 1/4" radius with balled corners.		
	Legs	Optional		
MECHANICALS	Plumbing	Stainless steel drain socket located back center of the equipment. Drain connection is 1-1/2" NPS male.		


OUTSIDE CORNERS


MODEL NOS.		TS45D-FO	TSF45D-FO	
DESCRIPTION	Corner Angle	45° Full Corner		
	Depth in. (mm)	18-9/16" (471)	24" (610)	
	Weight lb. (kg)	45 (20)		
MATERIALS	Construction All stainless steel			
	Front & Back	Seamless 18 gauge stainless steel 6" or 4" high stainless steel with 1" return, fastened and sealed.		
	Backsplash			
	Drainboard	Pitched stainless steel drainboard top, All horizontal and vertical edges 1/4" radius with balled corners.		
	Legs	Optional		
MECHANICALS	Plumbing	Stainless steel drain socket located back center of the equipment. Drain connection is 1-1/2" NPS male.		

TOP SHELF CORNER DRAINBOARDS


TS & TSF Series Inside & Outside Corner Drainboards


TS45D-FO





TSF45D-FI





Form No. Z2960 Rev. 06.27.24