

# Super GAS Grid M40 - Stainless steel grid - M40 on compartment

Project: .....  
Rev: .....  
Zone: .....  
Location: .....



CODICE  
CR1655979

MODELLO  
D92/10SGGC

SERIE  
DIAMANTE90



## GENERAL CHARACTERISTICS

In addition to offering the maximum choice of solutions and 2 mm thick and 90 cm deep tops, this series has all the power, robustness and functionality you need to work efficiently. External coatings and feet in stainless steel with Scotch Brite finish. Working table height adjustable from 840 to 900 mm. Range modularity: 200-400-600-800-1200. Wide range of accessories.

## TECHNICAL SPECIFICATIONS

Grid height adjustment device on two levels.  
Canal with drainage hole and removable grease and residue collection.  
Internal drawer for collecting residues.  
4 Grill types available: meat, fish, mixed stainless steel and reversible cast iron meat/fish version  
GRILL, HUMIDIFIER, SMOKER ACCESSORIES: Always available as accessories for all versions.  
Changing the type of cooking also in the utility GAS Grill / lava stone, with dedicated accessories  
In gas versions, the power is regulated by a continuously variable tap to adapt the heat of the hotplate to the type of cooking  
Smoker that can be installed on the M80 - M120 models for a barbecue-flavoured menu

Larger, recessed grease trough on the worktop, easier to clean and more capacious

HUMIDIFIER accessory for optimal management of several types of cooking.

Grill height adjustment for handling different types of cooking

4 Grill types available: meat, fish, mixed stainless steel and reversible cast iron meat/fish version

Changing the type of cooking also in the utility GAS Grill / lava stone, with dedicated accessories

In gas versions, the power is regulated by a continuously variable tap to adapt the heat of the hotplate to the type of cooking

# Super GAS Grid M40 - Stainless steel grid - M40 on compartment

Project: .....  
Rev: .....  
Zone: .....  
Location: .....



CODICE  
CR1655979

MODELLO  
D92/10SGGC

SERIE  
DIAMANTE90

## Technical Information

| SPECIFICATION            | DATA                              |
|--------------------------|-----------------------------------|
| MATERIAL                 | CR1655979                         |
| DEFINITION               | D92/10SGGC GAS GRILL MEAT M40 A/G |
| COMMERCIAL LINE          | DIAMANTE                          |
| SUPPLY                   | GAS                               |
| DIM. WIDTH               | 400 mm                            |
| DIM. PRODUCTIVITY        | 900 mm                            |
| DIM. HEIGHT              | 870 mm                            |
| NET WEIGHT               | 1,000 Kg                          |
| VOLUME (net)             | 0,313                             |
| PACKAGE LENGTH           | 440,000 mm                        |
| PACKAGE WIDTH            | 1020 mm                           |
| PACKAGING HEIGHT         | 1160,000 mm                       |
| PACKAGE VOLUME           | 0,522 m3                          |
| GROSS PACKING WEIGHT     | 2,000 Kg                          |
| GAS POWER                | 12,50                             |
| GAS POWER (G25.3/25mbar) | 12,00                             |
| CERTIFIED MODEL          | D92/10SG                          |

# Super GAS Grid M40 - Stainless steel grid - M40 on compartment


Project: .....  
 Rev: .....  
 Zone: .....  
 Location: .....

CODICE  
CR1655979

MODELLO  
D92/10SGGC

SERIE  
DIAMANTE90

MISURE IN cm - DIMENSIONS IN cm - ABMESSUNGEN IN cm - MESURES EN cm  
 MEDIDAS EN cm - MATEN IN cm - DIMENSIONES EN cm



## Legenda - Legende - Key - Légende - Leyenda - Legenda - Legenda

|  |   |
|--|---|
| <b>E</b> Pressacavo entrata linea elettrica - Stopfbuchse - Electric cable stress relief - Presse étoupe de câble él - Pisacable - Elektrische kabelwarterl - Entrada cabo eléctrico   | <b>G</b> Arrivo gas - Gasanschluss - Gas connection - Arrivée gaz - Union de gas - Gasaansluiting - Ligação gás<br><b>EN 10226-1 R 1/2; EN ISO 228-1 G 1/2 (DK)</b> |
| <b>S</b> Attacco scarico acqua - Wasserablauf - Water outlet - Vidange de l'eau - Desaguadero - Wateraftapaansluiting - Junção descarga água   | <b>H20</b> Arrivo acqua - Wasseranschluss - Water inlet - Arrivée eau - Union de agua - Wateraansluiting - Junção alimentação água                                  |
| <b>S1</b> Scarico vasca - Wannababflussrohr - Pan outlet - Vidange du bac - Descarga cuba - Water toevoer - Descarga da cuba   | <b>A1</b> = Calda - Heiss - Warm - Chaud - Caliente - Warm - Morno<br><b>A2</b> = Fredda - Kalt - Cold - Froid - Fria - Koude - Frio                                |
| <b>S2</b> Valvola di depressione - Anti-depression valve - Unterdruck ventil - Soupape de dépression - Válvula de depresión - Onderdrukklep - Válvula de depressão   |   |
| <b>S3</b> Scarico acqua intercapedine - Wasserablauf Zwischenraum - Jacket water drain Evacuation eau double envelope - Descarga de agua intersticios - Afvoer water tussenruimte - Descarga de água na marmita com Sistema de aquecimento indirecto |   |
| <b>S4</b> Scarico - Abflussrohr - Drain - Tuyau d'évacuation - Tubo de drenaje - Aftapbuis - Tubulação de dreno  | <b>L</b> Rubinetto di livello - Level tap - Wasserhahn - Robinet de niveau - Grifo de nivel - Niveaakraan - Torneira de nivel                                       |

# Super GAS Grid M40 - Stainless steel grid - M40 on compartment

Project: .....  
 Rev: .....  
 Zone: .....  
 Location: .....



CODICE  
CR1655979

MODELLO  
D92/10SGGC

SERIE  
DIAMANTE90

## Product's PLUS



Grill height adjustment for handling different types of cooking



Smoker that can be installed on the M80 - M120 models for a barbecue-flavoured menu



4 Grill types available: meat, fish, mixed stainless steel and reversible cast iron meat/fish version



Larger, recessed grease trough on the worktop, easier to clean and more capacious



Changing the type of cooking also in the utility GAS Grill / lava stone, with dedicated accessories



HUMIDIFIER accessory for optimal management of several types of cooking.



In gas versions, the power is regulated by a continuously variable tap to adapt the heat of the hotplate to the type of cooking

# Super GAS Grid M40 - Stainless steel grid - M40 on compartment

Project: .....  
Rev: .....  
Zone: .....  
Location: .....



CODICE  
CR1655979

MODELLO  
D92/10SGGC

SERIE  
DIAMANTE90

## ACCESSORIES

| CODE      | MODELLO | DESCRIZIONE |
|-----------|---------|-------------|
| CR1656629 | D9CAA   |             |
| CR1656639 | D9CAG   |             |
| CR1353909 | DCPL6   |             |
| CR1656649 | D9KP4   |             |
| CR1656659 | D9AF    |             |
| CR1656669 | D9KU4   |             |
| CR1656679 | D92GG   |             |
| CR1656689 | D92GTI  |             |
| CR1658449 | D92GI   |             |