



EC09 - Lincat Electric Counter-top Convection Oven - W 766 mm - 7.5 kW

Bake off everything from pies, pastries, pizzas roasts, pizzas, bakery products to baking off chilled or frozen convenience bakery products easily and efficiently with this powerful 7.5kW Lincat Electric Convection Oven.

- ✓ The larger and more powerful EC09 is perfect for baking off chilled or frozen convenience bakery products.
- ✓ The excellent twin fan air circulation system delivers a highly efficient air circulation ensuring consistent and even cooking and faster cooking times.
- ✓ Accommodates 1/1GN containers for convenient operation. Adjustable shelf supports to accept 600mm x 400mm standard baking trays
- ✓ Fast heat up from cold saves time and money and fast recovery times
- ✓ Water injection facility gives a professional finish to breads and pastries. The useful cook and hold facility reduces oven temperature to 80 degs C at end of cooking period.
- ✓ Double-glazed door for energy efficiency
- ✓ Stackable for added flexibility and to make the best of use of floorspace.
- ✓ Robust stainless steel construction

Specifications

Summary		Power and Performance	
Range Name	Lincat	Gastronorm Capacity	4 x GN1/1
Power Type	Electric	Total Power kW	7.5
Unit Type	Counter-top	Temperature Range °C	50 - 300
Available in UK Only	No	IP Rating	IP23
UK Warranty	2 Years Parts and Labour Warranty	Temperature Control	Mechanical
Export Warranty	Contact your local dealer	Oven Rating kW	7.5
GTIN Code	5056105101680		

Key Specifications		Weights and Dimensions	
Capacity Litres	170.0	Unit Height (External) mm	652
Number of Shelves included	4	Unit Width (External) mm	766
Number of Shelf Positions	4	Unit Depth (External) mm	840
		Height (Internal) mm	510
		Width (Internal) mm	480
		Depth (Internal) mm	700
		Shelf Dimensions Width mm	530
		Shelf Dimensions Depth mm	325
		Net Weight Kg	95.9

Supply Connections

Requires Installation	Yes
Requires Electrical Supply	Yes
UK 3 Pin Plug	No
Requires Hardwiring	Yes
Electrical Supply Rating Watts	7,500
Single Phase Amps	32.6
Single Phase Voltage	230
Three Phase Amps	L1=6.7 ; L2=13.0 ; L3=13.0
Three Phase Voltage	400
Water Connection BSPT	3/4"
Water Connection Pressure Bar	0.2 - 10.0




Shipping

Packed Weight Kg	100.6
Packed Height cm	73
Packed Width cm	94.5
Packed Depth cm	90

Available Accessories

EC09/FS	EC09 FLOORSTAND
EC09/FSBT	EC09 FLOORSTAND FOR BAKING TRAYS
EC09/LFS	EC09 LOW FLOORSTAND
EC09/SK	EC09 STACKING KIT

Technical Picture



Lincat Limited

Whisby Road,
Lincoln, LN6 3QZ,
United Kingdom

Company No: 2175448

A member company of



Customer Care

Tel: +44 1522 875500

Email: care@lincat.co.uk

Export Customers

Tel: +44 1522 503250

Email: export@lincat.co.uk

Opening Hours

Monday – Friday:

8.30am – 5pm