



OG8001/P - Opus 800 Propane Gas Free- standing Oven Range - 4 Burners - W 600 mm - 33.6 kW

This powerful Opus 800 gas oven is built to deliver high volumes of top quality food and will withstand the rigours of even the busiest kitchen.

- ✓ Powerful 7.5kW dual concentric Burners for focused heat distribution from a fast boil to a low simmer
- ✓ Individual heavy-duty single cast iron supports, built to withstand the rigours of the busiest kitchen
- ✓ Low flue to allow use of the complete hob top
- ✓ Powerful 6.8kW oven
- ✓ Large 2 x GN1/1 capacity oven enabling two different foods to be cooked simultaneously
- ✓ Gas Oven Ranges

Specifications

Summary

| | |
|----------------------|-----------------------------------|
| Range Name | Opus 800 |
| Power Type | Gas |
| Gas Type | Propane Gas |
| Unit Type | Free-standing |
| Available in UK Only | No |
| UK Warranty | 2 Years Parts and Labour Warranty |
| Export Warranty | Contact your local dealer |
| GTIN Code | 5056105102182 |

Power and Performance

| | |
|---------------------------------|------------|
| BTU per Hour | 114,643 |
| Gastronorm Capacity | 2 x GN1/1 |
| Total Power kW | 33.6 |
| Temperature Range °C | 120 - 280 |
| Cooking Area (Width x Depth) mm | 600 x 600 |
| Temperature Control | Mechanical |
| Rating per Hob kW | 6.7 |
| Oven Rating kW | 6.8 |

Key Specifications

| | |
|----------------------------|--------|
| Number of Shelves included | 2 |
| Number of Shelf Positions | 4 |
| Number of Hobs | 4 |
| Shape of Hob | Square |

Weights and Dimensions

| | |
|---------------------------|-----------|
| Unit Height (External) mm | 920 |
| Unit Width (External) mm | 600 |
| Unit Depth (External) mm | 800 |
| Height (Internal) mm | 405 |
| Width (Internal) mm | 495 |
| Depth (Internal) mm | 530 |
| Shelf Dimensions Width mm | 480 |
| Shelf Dimensions Depth mm | 530 |
| Hob Dimensions mm | 300 x 300 |
| Net Weight Kg | 99.5 |

Supply Connections

| | |
|--|---------|
| Requires Installation | Yes |
| Requires Electrical Supply | No |
| Gas Connection BSP | 1/2" |
| Gas Consumption at full rate Propane m³ per Hour | 2.40 |
| Gas Pressure Propane mbar | 37.0 |
| Total heat input at full rate Propane kW | 33.6 |
| Total heat input at full rate Propane BTU per hour | 114,643 |

Shipping

| | |
|------------------|-----|
| Packed Weight Kg | 112 |
| Packed Height cm | 105 |
| Packed Width cm | 70 |
| Packed Depth cm | 85 |


Available Accessories

| | |
|------|------|
| CH01 | NULL |
| CH02 | NULL |

Available Accessories

| | |
|--------|---------------------------|
| LK06 | NULL |
| OA8901 | SPLASHBACK/SHELF - OG8001 |

Technical Picture





Lincat Limited

Whisby Road,
Lincoln, LN6 3QZ,
United Kingdom

Company No: 2175448

A member company of



Customer Care

Tel: +44 1522 875500
Email: care@lincat.co.uk

Export Customers

Tel: +44 1522 503250
Email: export@lincat.co.uk

Opening Hours

Monday – Friday:
8.30am – 5pm