



F76/172 - IMC Ventus V60  
Bottle Cooler [Front  
Load] - Full Front Glass  
Door - Stainless Steel  
Frame - H 800 mm - W  
600 mm - R290

Ventus forms part of our dynamic range of bottle coolers. With over 150 options you can be assured that the feature packed V60 can be tailored to suit any bar environment.

- ✓ Full front door for seamless integration
- ✓ Reduced 800mm height
- ✓ Wide range of options available to customise your bottle cooler, ensure a perfect fit in any bar.
- ✓ Dynamic Air Distribution System coupled with efficient compressors and improved insulation ensures superior cooling times.
- ✓ Elegant, flexible storage for up to 78 bottles
- ✓ Electronic temperature control keeps drinks at the perfect serving temperature
- ✓ Energy efficient EcoSmart controller - at the touch of a button, put the bottle cooler into its most economical state until next required
- ✓ Sleek stainless steel interior and LED lighting to enhance display
- ✓ Double glazed door for enhanced insulation
- ✓ UK 3 pin plug allows users to simply plug in and switch on

## Specifications

### Summary

<b>Brand</b>	IMC
<b>Range</b>	Ventus
<b>Power Type</b>	Electric
<b>Unit Type</b>	Free-standing
<b>Available in UK Only</b>	No
<b>UK Warranty</b>	2 Years Parts and Labour Warranty
<b>Export Warranty</b>	Contact your local dealer
<b>GTIN</b>	5056105197423

### Power and Performance

<b>Total Power kW</b>	0,393
<b>Temperature Range °C</b>	2-6
<b>IP Rating</b>	IPX1
<b>Temperature Control</b>	Electronic

### Key Specifications

<b>Door Hinge</b>	Right
<b>Door Location</b>	Front
<b>Lockable Door</b>	No
<b>Colour</b>	Stainless Steel
<b>Number of Doors</b>	1
<b>Reversible Door</b>	With optional kit
<b>Door Type</b>	Full front, glass
<b>Number of Shelves included</b>	2
<b>Number of Shelf Positions</b>	29
<b>Refrigerant Type</b>	R290
<b>Type of Lighting</b>	LED

### Capacity

<b>Capacity Bottles</b>	78
<b>Capacity Litres</b>	108

Weights and Dimensions		Supply Connections	
------------------------	--	--------------------	--

Unit Height (External) mm	800	Requires Installation	No
Unit Width (External) mm	600	Requires Electrical Supply	Yes
Unit Depth (External) mm	500	UK 3 Pin Plug	Yes
Height (Internal) mm	655	Requires Hardwiring	No
Width (Internal) mm	526	Electrical Supply Rating Watts	393
Depth (Internal) mm	377	Single Phase Amps	1.64
Shelf Dimensions Width mm	510	Single Phase Voltage	240
Shelf Dimensions Depth mm	373		
Net Weight Kg	0		

Shipping	
----------	--

Packed Weight Kg	63
Packed Height cm	110
Packed Width cm	66
Packed Depth cm	58

Available Options	
-------------------	--

<b>Door Type</b>	
VS1011	VS1011 - Change to Full Front Cladded Door
VS708	VS708 - Change Cladded Door to Left Hinged
VS711	VS711 - Change to Left Hinged Glass Door
VS728	VS728 - Change to Solid Door
VS731	VS731 - Change to Left Hinged Solid Door
<b>Lighting</b>	
VS852	VS852 - Change to Red LED Lights
VS853	VS853 - Change to Green LED Lights
VS854	VS854 - Change to Blue LED Lights
<b>Shelving Type</b>	
VS359	VS359 - Change to Wine Shelving
VS399	VS399 - Change to Perforated Shelving
<b>EU Plug</b>	
VS401	VS401 - Change to EU Plug
<b>De-Gassed</b>	
VS1017	VS1017 - De-Gassed for Air Freight

Available Accessories	
-----------------------	--

A12/091/Z1	Wire Shelf - Chrome - for M60 Bottle Cooler
A12/100	Wine Shelf - Chrome - for M60 Bottle Cooler
S76/048	Perforated Shelf - for V60 - 500D



**Lincat Limited**

Whisby Road,  
Lincoln, LN6 3QZ,  
United Kingdom

**Company No:** 2175448

A member company of



**Customer Care**

**Tel:** +44 1522 875500  
**Email:** care@lincat.co.uk

**Export Customers**

**Tel:** +44 1522 875536  
**Email:** export@lincat.co.uk

**Opening Hours**

**Monday – Friday:**  
8.30am – 5pm