

# ELECTRIC BAIN-MARIE TOP

CODICE  
CR0991209

MODELLO  
D94/10TCBE

SERIE  
DIAMANTE90

Project: .....  
Rev: .....  
Zone: .....  
Location: .....



## GENERAL CHARACTERISTICS

In addition to offering the maximum choice of solutions and 2 mm thick and 90 cm deep tops, this series has all the power, robustness and functionality you need to work efficiently. External coatings and feet in stainless steel with Scotch Brite finish. Working table height adjustable from 840 to 900 mm. Range modularity: 200-400-600-800-1200. Wide range of accessories.

## TECHNICAL SPECIFICATIONS

Tank dimensions Gastro Norm. Perforated false bottom for vessel support. Adjustable temperatures from 30° to 90°C. Tank equipped with overflow level. Gas version: burner controlled by thermostatic safety thermocouple valves and piezo ignition. Electric version: armoured heating elements positioned outside the tank, water filling by means of solenoid valve.

Possibility of setting 2 timers to control cooking. An acoustic signal warns the operator at the end of the set time.

Temperature control via touch screen and adjustment with ergonomic knob

Adjustable temperature in tank with overflow and perforated false bottom for supporting containers. GN-sized tank.

Equipment certified for low voltage directive 2014/35/EU according to the international CB scheme.

Thanks to the jet-proofing certification (IPX5) obtained through specific tests, knobs and under-knobs can be washed, without compromising functionality and safety.

# ELECTRIC BAIN-MARIE TOP

Project: .....  
Rev: .....  
Zone: .....  
Location: .....



CODICE  
CR0991209

MODELLO  
D94/10TCBE

SERIE  
DIAMANTE90

## Technical Information

SPECIFICATION	DATA
MATERIAL	CR0991209
DEFINITION	D94/10 TCBE BAIN-MARIE EL. TOP M80
COMMERCIAL LINE	DIAMANTE
SUPPLY	ELECTRICS
DIM. WIDTH	800 mm
DIM. PRODUCTIVITY	900 mm
DIM. HEIGHT	250 mm
NET WEIGHT	73,000 Kg
VOLUME (net)	0,180
PACKAGE LENGTH	850,000 mm
PACKAGE WIDTH	1020,000 mm
PACKAGING HEIGHT	570,000 mm
PACKAGE VOLUME	0,494 m3
GROSS PACKING WEIGHT	84,000 Kg
STANDARD POWER SUPPLY	380-415V 3N
FREQUENCY	50-60 Hz
ELECTRICAL POWER	5,400 kW
IP GRADE	IPX5
CERTIFIED MODEL	D94/10 TCBE

# ELECTRIC BAIN-MARIE TOP

Project: .....  
 Rev: .....  
 Zone: .....  
 Location: .....


CODICE  
 CR0991209

MODELLO  
 D94/10TCBE

SERIE  
 DIAMANTE90

## SCHEMA DI INSTALLAZIONE - INSTALLATION DIAGRAM - INSTALLATIONSPLAN - SCHÉMA D'INSTALLATION - ESQUEMA DE INSTALACION - INSTALLATIESCHEMA - IINSTALLATIONSRIJNINGAR

MISURE IN cm - DIMENSIONS IN cm - ABMESSUNGEN IN cm  
 MESURES EN cm - MEDIDAS EN cm - MATEN IN cm



Legenda - Legende - Key - Légende - Leyenda - Legenda

- E** Pressacavo entrata linea elettrica - Stopfbuchse - Electric cable stress relief  
 Presse étoupe de câble él. - Pisacable - Elektrische kabelwartel
- S** Attacco scarico acqua - Wasserablauf - Water outlet  
 Vidange de l'eau - Desaguadero - Wateraftapaansluiting  
**EN 10226-1 R 1/2**
- H2O** Attacco arrivo acqua - Wasseranschluss - Water inlet  
 Arrivée eau - Union de agua - Wateraansluiting  
**EN ISO 228-1 G 1/2**

# ELECTRIC BAIN-MARIE TOP

CODICE  
CR0991209

MODELLO  
D94/10TCBE

SERIE  
DIAMANTE90

Project: .....  
Rev: .....  
Zone: .....  
Location: .....



## Product's PLUS

Equipment certified for low voltage directive 2014/35/EU according to the international CB scheme.




Possibility of setting 2 timers to control cooking. An acoustic signal warns the operator at the end of the set time.



Thanks to the jet-proofing certification (IPX5) obtained through specific tests, knobs and under-knobs can be washed, without compromising functionality and safety.



Temperature control via touch screen and adjustment with ergonomic knob



Adjustable temperature in tank with overflow and perforated false bottom for supporting containers. GN-sized tank.

# ELECTRIC BAIN-MARIE TOP

Project: .....  
Rev: .....  
Zone: .....  
Location: .....



CODICE  
CR0991209

MODELLO  
D94/10TCBE

SERIE  
DIAMANTE90

## ACCESSORIES

CODE	MODELLO	DESCRIZIONE
CR1355469	D94/10B	Open base 80cm series 90
CR0996979	DBVP4	
CR0997009	DBVPA4	
CR0997029	DAPC	
CR0997019	DAPD	
CR0997039	DAPS	
CR0997049	DAPM	
CR0997059	DAPDB	
CR1353589	DBVC4	
CR0592679	94/10 BH	Open base - hygienic finish H2 80cm series 90
CR1353569	DRG21	
CR0592799	ZF8	
CR0592830	ZG	
CR0592820	9ZL	
MA97432000	R	
MA97433000	RI	
CR0592869	PZM	
CR0593580	9PT	
CR0592879	KPA	
CR0592940	9CAT *	Water column for top equipment