



OD8006/P - Opus 800  
Dual Fuel [Propane Gas]  
Free-standing Oven  
Range - 4 Burners - W  
600 mm - 26.8 kW

This powerful Opus 800 dual fuel oven is built to deliver high volumes of top quality food and will withstand the rigours of even the busiest kitchen.

- ✓ Powerful 7.5kW dual concentric Burners for focused heat distribution from a fast boil to a low simmer
- ✓ Individual heavy-duty single cast iron supports, built to withstand the rigours of the busiest kitchen
- ✓ Low flue to allow use of the complete hob top
- ✓ Powerful 4kW fan assisted oven for even cooking results
- ✓ Large 3 x GN1/1 capacity oven enabling three different foods to be cooked simultaneously
- ✓ Dual Fuel Oven Ranges

**Specifications**

**Summary**

<b>Range Name</b>	Opus 800
<b>Power Type</b>	Dual Fuel
<b>Gas Type</b>	Propane Gas
<b>Unit Type</b>	Free-standing
<b>Available in UK Only</b>	No
<b>UK Warranty</b>	2 Years Parts and Labour Warranty
<b>Export Warranty</b>	Contact your local dealer
<b>GTIN Code</b>	5056105102311

**Power and Performance**

<b>BTU per Hour</b>	91,445
<b>Gastronorm Capacity</b>	3 x GN1/1
<b>Total Power kW</b>	26.8
<b>Temperature Range °C</b>	120 - 280
<b>IP Rating</b>	IP24
<b>Temperature Control</b>	Mechanical
<b>Rating per Hob kW</b>	6.7
<b>Oven Rating kW</b>	4.0

**Key Specifications**

<b>Number of Shelves included</b>	3
<b>Number of Shelf Positions</b>	5
<b>Number of Hobs</b>	4
<b>Shape of Hob</b>	Square

**Weights and Dimensions**

<b>Unit Height (External) mm</b>	912
<b>Unit Width (External) mm</b>	600
<b>Unit Depth (External) mm</b>	800
<b>Height (Internal) mm</b>	410
<b>Width (Internal) mm</b>	525
<b>Depth (Internal) mm</b>	530
<b>Shelf Dimensions Width mm</b>	510
<b>Shelf Dimensions Depth mm</b>	530
<b>Hob Dimensions mm</b>	300 x 300
<b>Net Weight Kg</b>	155




Supply Connections		Shipping	
--------------------	--	----------	--

Requires Installation	Yes	Packed Weight Kg	167
Requires Electrical Supply	Yes	Packed Height cm	105
UK 3 Pin Plug	No	Packed Width cm	70
Requires Hardwiring	Yes	Packed Depth cm	85
Electrical Supply Rating Watts	4,032		
Single Phase Amps	17.8		
Single Phase Voltage	230		
Three Phase Amps	L1=8.7; L2=8.7; L3=N/A		
Three Phase Voltage	400		
Gas Connection BSP	1/2"		
Gas Consumption at full rate Propane m <sup>3</sup> per Hour	1.92		
Gas Pressure Propane mbar	37.0		
Total heat input at full rate Propane kW	26.8		
Total heat input at full rate Propane BTU per hour	91,445		

### Available Accessories

CH01	NULL
CH02	NULL
LK06	NULL
OA8984	SPLASHBACK/SHELF - OD8006

### Technical Picture



**Lincat Limited**

Whisby Road,  
Lincoln, LN6 3QZ,  
United Kingdom

**Company No:** 2175448

A member company of



**Customer Care**

**Tel:** +44 1522 875500  
**Email:** care@lincat.co.uk

**Export Customers**

**Tel:** +44 1522 503250  
**Email:** export@lincat.co.uk

**Opening Hours**

**Monday – Friday:**  
8.30am – 5pm