

# Super GAS Grid M80 - Stainless steel grid - M80 on compartment

Project: .....  
Rev.: .....  
Zone: .....  
Location: .....



CODICE  
CR1655349

MODELLO  
D74/10SGGC

SERIE  
DIAMANTE70



## GENERAL CHARACTERISTICS

In addition to offering the widest choice of solutions and 2 mm thick and 70 cm deep tops, this series has all the power, robustness and functionality you need to work efficiently. Scotch Brite finish stainless steel outer shells and feet. Worktop height adjustable from 840 to 900 mm. Modularity of range: 200-400-600-800-1200 Wide range of accessories.

## TECHNICAL SPECIFICATIONS

Grid height adjustment device on two levels.  
Canal with drainage hole and removable grease and residue collection.  
Internal drawer for collecting residues.  
4 Grill types available: meat, fish, mixed stainless steel and reversible cast iron meat/fish version  
GRILL, HUMIDIFIER ACCESSORIES: Always available as accessories for all versions.  
Changing the type of cooking also in the utility GAS Grill / lava stone, with dedicated accessories  
In gas versions, the power is regulated by a continuously variable tap to adapt the heat of the hotplate to the type of cooking  
Smoker that can be installed on the M80 - M120 models for a barbecue-flavoured menu

Larger, recessed grease trough on the worktop, easier to clean and more capacious

HUMIDIFIER accessory for optimal management of several types of cooking.

Grill height adjustment for handling different types of cooking

4 Grill types available: meat, fish, mixed stainless steel and reversible cast iron meat/fish version

Changing the type of cooking also in the utility GAS Grill / lava stone, with dedicated accessories

In gas versions, the power is regulated by a continuously variable tap to adapt the heat of the hotplate to the type of cooking

# Super GAS Grid M80 - Stainless steel grid - M80 on compartment

Project: .....  
Rev: .....  
Zone: .....  
Location: .....



CODICE  
CR1655349

MODELLO  
D74/10SGGC

SERIE  
DIAMANTE70

## Technical Information

SPECIFICATION	DATA
MATERIAL	CR1655349
DEFINITION	D74/10SGGC GAS GRILL MEAT M80 A/G
COMMERCIAL LINE	DIAMANTE
SUPPLY	GAS
DIM. WIDTH	800 mm
DIM. PRODUCTIVITY	730 mm
DIM. HEIGHT	870 mm
NET WEIGHT	81,000 Kg
VOLUME (net)	0,508
PACKAGE LENGTH	840,000 mm
PACKAGE WIDTH	850 mm
PACKAGING HEIGHT	1170,000 mm
PACKAGE VOLUME	0,836 m3
GROSS PACKING WEIGHT	94,000 Kg
GAS POWER	20,00
GAS POWER (G25.3/25mbar)	19,00
CERTIFIED MODEL	D74/10SGG

# Super GAS Grid M80 - Stainless steel grid - M80 on compartment

Project: .....  
 Rev: .....  
 Zone: .....  
 Location: .....




CODICE  
CR1655349

MODELLO  
D74/10SGGC

SERIE  
DIAMANTE70

MISURE IN cm - DIMENSIONS IN cm - ABMESSUNGEN IN cm - MESURES EN cm  
 MEDIDAS EN cm - MATEN IN cm - DIMENSIONES EN cm



## Legenda - Legende - Key - Légende - Leyenda - Legenda - Legenda

<b>E</b> Pressacavo entrata linea elettrica - Stopfbuchse - Electric cable stress relief - Presse étoupe de câble él - Pisacable - Elektrische kabelwarterl - Entrada cabo eléctrico	<b>G</b> Arrivo gas - Gasanschluss - Gas connection - Arrivée gaz - Union de gas - Gasaansluiting - Ligação gás <b>EN 10226-1 R 1/2; EN ISO 228-1 G 1/2 (DK)</b>
<b>S</b> Attacco scarico acqua - Wasserablauf - Water outlet - Vidange de l'eau - Desaguadero - Wateraftapaansluiting - Junção descarga água	<b>H20</b> Arrivo acqua - Wasseranschluss - Water inlet - Arrivée eau - Union de agua - Wateraansluiting - Junção alimentação água
<b>S1</b> Scarico vasca - Wannabflussrohr - Pan outlet - Vidange du bac - Descarga cuba - Water toevoer - Descarga da cuba	<b>A1</b> = Calda - Heiss - Warm - Chaud - Caliente - Warm - Morno <b>A2</b> = Fredda - Kalt - Cold - Froid - Fria - Koude - Frio
<b>S2</b> Valvola di depressione - Anti-depression valve - Unterdruck ventil - Soupape de dépression - Válvula de depresión - Onderdrukklep - Válvula de depressão	
<b>S3</b> Scarico acqua intercapedine - Wasserablauf Zwischenraum - Jacket water drain Evacuation eau double envelope - Descarga de agua intersticios - Afvoer water tussenruimte - Descarga de água na marmita com Sistema de aquecimento indirecto	
<b>S4</b> Scarico - Abflussrohr - Drain - Tuyau d'évacuation - Tubo de drenaje - Aftapbuis - Tubulação de dreno	<b>L</b> Rubinetto di livello - Level tap - Wasserhahn - Robinet de niveau - Grifo de nivel - Niveaakraan - Torneira de nivel

# Super GAS Grid M80 - Stainless steel grid - M80 on compartment

Project: .....  
 Rev: .....  
 Zone: .....  
 Location: .....



CODICE  
CR1655349

MODELLO  
D74/10SGGC

SERIE  
DIAMANTE70

## Product's PLUS



Grill height adjustment for handling different types of cooking



Smoker that can be installed on the M80 - M120 models for a barbecue-flavoured menu



4 Grill types available: meat, fish, mixed stainless steel and reversible cast iron meat/fish version



Larger, recessed grease trough on the worktop, easier to clean and more capacious



Changing the type of cooking also in the utility GAS Grill / lava stone, with dedicated accessories



HUMIDIFIER accessory for optimal management of several types of cooking.



In gas versions, the power is regulated by a continuously variable tap to adapt the heat of the hotplate to the type of cooking

# Super GAS Grid M80 - Stainless steel grid - M80 on compartment

Project: .....  
Rev: .....  
Zone: .....  
Location: .....



CODICE  
CR1655349

MODELLO  
D74/10SGGC

SERIE  
DIAMANTE70

## ACCESSORIES

CODE	MODELLO	DESCRIZIONE
CR1656529	D7CAA	
CR1656539	D7CAG	
CR1353899	DCPL4	
CR1656549	D7KP4	
CR1656559	D7AF	
CR1656569	D7KU4	