



**Catalogue**  
FOOD SERVICE  
**Chapter**  
REFRIGERATION

**Specific model**  
CUP-11S GD LC C CI 230V 1N 50Hz

19097989

23/01/2024

**DENOMINATION:**

Refrigerated display cabinet - Concept Snack with 1 door, at 50Hz.

**DESCRIPTION :**

- Interior and exterior in high quality austenitic stainless steel.
  - 50 mm, 40 kg/m<sup>3</sup> injected polyurethane insulation.
  - Removable and height adjustable plasticcovered steel shelves (17 Snack size levels) for easy cleaning. Equipment: 3 shelves per large door.
  - Forced draught cooling system.
  - Copper piping and aluminium flaps evaporator.
  - Digital display for electronic and digital control of temperature and defrosting.
  - Opened door delay alarm.
  - Self-closing and stay open doors. When opened less than 90° they close by themselves. When opened more than 135° they stay open.
  - Built-in drainage to get rid of waste liquids inside the unit.
  - Embedded bottom and curved panels inside for easy cleaning and maintenance.
  - Height adjustable stainless steel legs.
  - Tested in climatic class 4.
  - Inner LED lights with power switch (in refrigerated display cabinets and now also in freezing units).
- Display refrigerated cabinet

**POSSIBLE OPTIONS :**

- Stainless Backing
- Legs instead of castors
- Door frame resistance
- Opposite Opening
- Pedal
- Remote group

**STANDARD :**

- Glass door
- Locks
- Castors
- UK plug

**POSSIBLE ACCESSORIES :**


- REFRIGERATION
- ACCESSORIES

**SUPPLIED ACCESSORIES:**

- 12034317 Grid made in Epoxi (560x542) 3

**DIMENSIONS**

X Width	693 mm	X Gross width	780 mm
Y Depth	726 mm	Y Gross depth	800 mm
Z Height	2067 mm	Z Gross height	2084 mm
Net Weight	119,0 kg	Gross Weight	125,0 kg
Net volume	1,040 m <sup>3</sup>	Gross volume	1,300 m <sup>3</sup>



**ELECTRICITY TECHNICAL SPECIFICATIONS**

Amperage (A)	0,81 A
Electric frequency	50Hz
Electric power	0,186 kW
Voltage	230V - 1N

**GAS TECHNICAL SPECIFICATIONS**

Gas type	R-600a
----------	--------

**COLD TECHNICAL SPECIFICATIONS**

Annual elec. consumption	920,64 kWh
Clasif. Energy efficiency	B
Climate class	4
Cooling gas load	92,000 g
Energy Efficiency Index	12,57 %
Gross internal volume	506 L
Power consumption 24h	2,52 kWh
Refrigeration power	0,361 kW

**CONNECTIONS TECHNICAL SPECIFICATIONS**

Single-phase 230V wiring	2X1+T-2A
--------------------------	----------

**OTHERS**

Condensation system	Vent.
Number of doors	1



**Catalogue**  
FOOD SERVICE  
**Chapter**  
REFRIGERATION

**Specific model**  
CUP-11S GD LC C CI 230V 1N 50Hz

19097989

23/01/2024

