

Santos #65 Cold Press Juicer

ITEM: 45923
MODEL: SANTOS 65





Most Innovative Cold Press Juicer Available

Great for extracting juice from leafy vegetables, fibrous fruits, and even almond milk, the Nutrisantos™ 65 is the solution to all juice bar, restaurants, and cafes for on-demand juicing.

FEATURES:

- Commercial grade juicer: Aluminum body and stainless steel food zone.
- Maximum steady juice extraction: Retains maximum amount of nutrients and vitamins.
- High quality: Minimizing juice separation and oxydation.
- Variable speed: Allows juicing of any type of fruits, vegetables, herbs and nuts.
- Wide chute: a 79.5mm diameter chute allows juicing with minimal cutting, and in most cases no cutting required at all.





WATCH OUR PRESENTATION VIDEO

Stainless steel filter



- 1 **Extra wide chute** Ø 79,5mm
- 2 **Exclusive patented** slow juicing system
- 3 **High spout:** accepts glasses, jugs and blenders jars. Height: 21 cm
- 4 **Variable speed** 5 to 80rpm
- 5 **On/Off Button**
- 6 **Reverse**
- 7 **Sturdy commercial** asynchronous motors
- 8 **4L pulp container** or possibility of continuous evacuation of pulp

Benefits of the Cold Press Juicer Nutrisantos #65




Commercial cold press juicer: aluminum body and stainless steel food zone.
Maximum juice extraction
Slow juice extraction: retains the maximum amount of nutrients and vitamins.
Minimizing juice separation and oxydation
Variable speed to juice any type of fruits, veggies, herbs...
Wide chute Ø79.5mm to juice whole fruits and vegetables. No pre-cutting needed.

Safety Standards and Hygiene

In accordance with the following regulations	Machinery directive 2006 / 42 / EC
	Electromagnetic compatibility 2014 / 30 / EU
	"Low voltage" directive 2014 / 35 / EU
	RoHS directive 2011 / 65 / EU
Harmonized European Standards	Regulation 1935 / 2004 / EC (contact with food)
	WEEE Directive 2012/19/EU
	EN ISO 12100 : 2010
	EN 60204 -1 + A1 : 2009
Thermal safety	EN 60335 -2-64 :2004 Commercial electric kitchen machines
	EN 1678 + A1 : 2010
	EN 1672 -2 + A1 : 2009
	CE Marking
Electrical safety	Motor protected by internal thermal detector and overload protector
Acoustic Safety	All mechanical parts are ground connected
	Appliances are 100% tested after assembly
Hygiene	Silent asynchronous motors
	All removable parts can be put in a dishwasher or easily cleaned with hot soapy water

Technical Specifications



Appliance

W : 412 mm (16.2")
 D : 236 mm (9,3")
 H : 642 mm (25,3")

Shipping box

W : 490 mm (19.3")
 D : 330 mm (13")
 H : 660 mm (26")

Weight :
 28,6 Kg (61.7lbs)

Weight :
 32 Kg (70.5lbs)



Technical Specification	
Item	45923
Model	SANTOS 65
Current	5A
Power	650 W
Electricals	120V/60 hz/1ph
RPM	80 RPM
Net Weight	61.7 lb (28 kg)
Net Dimensions (WDH)	9.3" x 16.2" x 25.3" (236 x 411 x 643 mm)
Gross Weight	70.5 lb (32 kg)
Gross Dimensions (WDH)	13" x 19.3" x 26" (330 x 490 x 660 mm)

