



STORAGE SOLUTION

SERVING THE FOOD INDUSTRY SINCE 1951

CAN RACKS

Items 27769, 27770

KEEP YOUR CANNED GOODS ORGANIZE AND ACCESSIBLE

Ideal for bakeries, bars, restaurants, and other business operations

Omcans can racks are specially designed to keep your canned goods organize and accessible without even having to waste your time looking what you need in the kitchen. With an option whether to have a countertop can rack or a standing one, these are welded for durability for long-lasting use. Fully assembled.



WARRANTY



SHIPPED ON PALLET
Only applicable to item 27769



Authorized Dealer

FEATURES

- Aluminum table
- 5" Casters included for mobility
- 4 layers of can storage
- Welded for durability
- Fully assembled

REPLACEMENT CASTERS (Casters can be purchased separately)

Can Rack Wheel with Brake, polypropylene and polyurethane for items 27769 and 27770

ITEM	31753
BRAKES	Yes
SIZE	5" (127 mm) dia., 1.25" (31.75 mm) thick
MAXIMUM LOADING CAPACITY	50 kg. / 110 lbs.

Can Rack Wheel without Brake, polypropylene and polyurethane for items 27769 and 27770

ITEM	31754
BRAKES	No
SIZE	5" (127 mm) dia., 1.25" (31.75 mm) thick
MAXIMUM LOADING CAPACITY	50 kg. / 110 lbs.



TECHNICAL SPECIFICATIONS

ITEM NUMBER	27770
RACK DIMENSIONS	35.5" x 23" / 901.7 x 584.2 mm
NUMBER OF ROWS	12
CAN CAPACITY (Stationary Capacity)	72 - #10 cans / 96 - #5 cans
ALUMINUM TABLE THICKNESS	4.8 mm
RUNNER THICKNESS	2 mm
DIMENSIONS (DWH)	35.25" x 26.5" x 42.5" / 895.35 x 673.1 x 1079.5 mm
WEIGHT	50.75 lbs. / 23 kg.
PACKAGING WEIGHT	51.75 lbs. / 23.52 kg.

OMCAN INC.

Telephone: 1-800-465-0234
 Fax: (905) 607-0234
 Email: sales@omcan.com
 Website: www.omcan.com



Follow us to keep up to date with the latest news and offers



STORAGE SOLUTION

CAN RACK WITH 9 LAYERS OF CAN STORAGE



FEATURES

- 9 layers of can storage
- Welded for durability
- Fully assembled
- 5" Casters included for mobility

REPLACEMENT CASTERS (Casters can be purchased separately)

Can Rack Wheel with Brake, polypropylene and polyurethane for items 27769 and 27770

ITEM	31753
BRAKES	Yes
SIZE	5" (127 mm) dia., 1.25" (31.75 mm) thick
MAXIMUM LOADING CAPACITY	50 kg. / 110 lbs.

Can Rack Wheel without Brake, polypropylene and polyurethane for items 27769 and 27770

ITEM	31754
BRAKES	No
SIZE	5" (127 mm) dia., 1.25" (31.75 mm) thick
MAXIMUM LOADING CAPACITY	50 kg. / 110 lbs.



27769
Use without casters

TECHNICAL SPECIFICATIONS

ITEM NUMBER	27769
RACK DIMENSIONS	35.5" x 23" / 901.7 x 584.2 mm
NUMBER OF ROWS	27
CAN CAPACITY (Stationary Capacity)	162 - #10 cans / 216 - #5 cans
RUNNER THICKNESS	2 mm
DIMENSIONS (DWH)	29" x 26.5" x 71" / 736.6 x 673.1 x 1803.4 mm
WEIGHT	51.75 lbs. / 23.52 kg.
PACKAGING WEIGHT	53 lbs. / 24 kg.



OMCAN INC.

Telephone: 1-800-465-0234
 Fax: (905) 607-0234
 Email: sales@omcan.com
 Website: www.omcan.com



Follow us to keep up to date with the latest news and offers

