



Catalogue
FOOD SERVICE
Chapter
REFRIGERATION

Specific model
MUN-11G LC C CI 230V 1N 50Hz

19098012

23/01/2024

DENOMINATION:

Freezer cabinet - Concept Monoblock Gastronorm with 1 door, at 50Hz.

DESCRIPTION :

- Structure built with AISI-304 stainless steel.
- 60 mm, 40 kg/m3 injected polyurethane insulation.
- Embedded inner tray slides. Storage trays at 24 different levels 55 mm from each other.
- Forced draught cooling system with hermetically sealed compressor.
- Copper piping and aluminium flaps evaporator.
- Digital display for electronic and digital control of temperature and defrosting.
- Opened door delay alarm.
- Self-closing and stay open doors. When opened less than 90° they close by themselves. When opened more than 135° they stay open.
- Built-in drainage to get rid of waste liquids inside the unit.
- Embedded bottom and curved panels inside for easy cleaning and maintenance.
- Height adjustable stainless steel legs.
- Working temperature: from 0 °C to +8 °C(refrigerators) and from -18 °C to -22 °C (freezers).
- Tested in climatic class 4.
- Inner LED lights with power switch (in refrigerated cabinets and now also in freezing units).
- Freezer cabinet.
- Working temperature: from -18 °C to -22 °C.

POSSIBLE OPTIONS :

- 60 Hz
- Stainless Backing
- Legs instead of castors
- Opposite Opening
- Pedal
- Remote group

STANDARD OPTIONS :


- Door frame resistance
- Locks
- Castors
- UK plug

POSSIBLE ACCESSORIES :

- ACCESSORIES
- GASTRONORM GRIDS

DIMENSIONS

X Width	653 mm	X Gross width	730 mm
Y Depth	796 mm	Y Gross depth	860 mm
Z Height	1996 mm	Z Gross height	2017 mm
Net Weight	144,0 kg	Gross Weight	151,0 kg
Net volume	1,037 m3	Gross volume	1,266 m3



ELECTRICITY TECHNICAL SPECIFICATIONS

Electric power	0,328 kW
Amperage (A)	2,6 A
Voltage	230V - 1N
Electric frequency	50Hz

GAS TECHNICAL SPECIFICATIONS

Gas type	R-290
----------	-------

COLD TECHNICAL SPECIFICATIONS

Refrigeration power	0,364 kW
Annual elec. consumption	2040,00 kWh
Power consumption 24h	5,59 kWh
Gross internal volume	572 L
Frozen net.vol	432 L
Climate class	4
Clasif. Energy efficiency	D
Energy Efficiency Index	56,66 %
Model Type	Vertical cabinet

CONNECTIONS TECHNICAL SPECIFICATIONS

Single-phase 230V wiring	2X1+T-4A
--------------------------	----------

OTHERS

Number of doors	1
Noise level	58,00 dB
Condensation system	Vent.





Catalogue
FOOD SERVICE
Chapter
REFRIGERATION

Specific model
MUN-11G LC C CI 230V 1N 50Hz

19098012

23/01/2024

