

# ST323PM



Product family	Dishwashers
Type	Semi professional
Colour	Silver
Finishing	Silver
Width	598 mm
Depth	545 mm
Commercial height	818 mm
Installation	Fully-integrated built-in
Kitchen panel	Not supplied
Number of baskets	3, FlexiDuo
Motor	Inverter



## PROGRAMS / FUNCTIONS



Number of programs: 10+1 (Ultra Express program just 16 mins\*)

Washing temperatures: , 45°, 50°, 65°, 70°, 75° C

Soak, Crystal, Crystal Pro, Fullexpress - 60 minutes, ECO, Auto sensor 45 - 65, Mix, Intense, Selfclean, Hygiene 99 ,9%, Ultra Express

(\* with hot water supply and maximum nominal power – recommended for a max. 5 programs a day)

## OPTIONS



Dry Assist + option	Yes
Delay timer option	Up to 24 hours, with automatic soak
1 / 2 load FlexiZone option (varied distribution)	Yes
Professional option	Yes

## BASKETS



Basket colour	Grey
Basket components colour	Grey
Handle	In plastic with stainless steel insert on upper and lower basket
Upper basket	With 3 foldable racks
Glass holder	Yes
Height adjustment of the upper basket	On three levels
Sliding Guides Extra Glide	Yes
Largest loadable dish in upper basket	19 cm
Lower basket	with 4 foldable racks
Lower basket with antidrip inserts	Yes
Largest loadable dish in lower basket	30 cm
Colour Inner components	Blue

## TECHNICAL FEATURES




Controls	Electronic
Display type	3 digit
Display	Delayed start, Program time indicator, Time to end indication
Program graphics	Symbols
On/off indicator	Yes
Salt light indicator	Light
Rinse aid indicator	Light
End of cycle indicator	ActiveLight
Washing system	Planetarium
Third spray arm	Single
Water softener	with electronic setting
Turbidity sensor Aquatest	Yes
Flood protection system	Total Acquastop
Water supply	Single; cold/hot water max. 60°C - energysave with hot water up to 35%
Maxwater hardness	100°FH; 58°dH
Drying system	Natural condenser drying, with Dry Assist + automatic door opening system at the end of the cycle
Steam protection	In plastic
Tank material	Stainless steel
Filter	Stainless steel

## TECHNICAL FEATURES CONTINUED

Concealed heating element	Yes
Hinges	Self balancing, Sliding, FLEXIFIT
Min and max frontal panel weight	2 - 11 kg
Min. and max plinth height	50 - 215 mm
Adjustable feet	7cm, from 820 to 890 mm
Additional gaskets	Yes, with stainless steel plate
Back cover	Yes
Depth of dishwasher with open door	1146 mm
Back feet adjustable from front	Yes

## Performance / Energy Label NEW

Energy Efficiency Class (Washing cycle)	C
Energy consumption [per 100 cycles, based on the eco programme]	75 kWh
Rated capacity (ps)	14
Water consumption [per cycle]	10.5 litres
Programme duration	4:25 h:min
Airborne acoustical noise emissions (spinning phase)	42 dB(A) re 1 pW
Airborne acoustical noise emission class	B
Energy efficiency Index (EEI) (Washing cycle)	43.8




## Electrical Connection

Connected power	5.45 kW
Current	32 A
Voltage	220-240 V
Frequency	(Hz) 50 Hz
Type of connection	Single-phase, hardwire
Power supply cable length	200 cm

## OPTIONAL CONNECTIONS

Nominal power: 3.5 kW	Voltage: 230-240 V
Current: 20 A	Frequency: 50 Hz
Voltage: 230-240 V	Connection type: UK 13 amp plug**
Frequency: 50 Hz	(* ** For this connection the dishwasher will need a new cable fitting and a plug attaching)
Connection type: Hard wire	
Nominal power: 2 kW	
Current: 13 A	



## Symbols explained

A++:



Energy efficiency class A++ helps to save up to 20% energy compared to class A. Maximum performance with minimum consumption is guaranteed.



14 place settings:

The symbol shows the number of plate settings for the dishwasher.



ORBITAL WASH SYSTEM:

Orbital wash system distributes water evenly throughout the 60cm dishwasher cavity, directing water with precision to ensure an excellent wash.



DELAY TIMER:

The delay timer can postpone the start of the program by up to 24 hours.



FLEXIZONE:

The 1/2 load flexizone allows you to wash a reduced load saving energy, water and time and there are no restrictions on where the items are placed.



TOTAL ACQUASTOP:

Most models of Smeg dishwashers are equipped with total Acquastop, which prevents flooding. The system consists of a float sensor, installed under the inner chamber of a dishwasher, which blocks the supply inside the appliance in case of water leakage into the lower tray. An additional electromagnetic valve on the water inlet hose also automatically blocks the water supply if detecting water leakage in the hose.

## Symbols explained



### AQUATEST:

Aquatest measures the clarity of the water during an auto program, and automatically ensures the minimum consumption of water and energy.



### FLEXIDUO:

The FlexiDuo 3rd cutlery basket allows you to arrange cutlery or small cups, ladles, or bulky utensils however you like: it consists of two separate and moveable modules.



### EASYGLIDE:

Convenient EasyGlide system for easy and maximum flexibility of the unloading of the appliance.



### FLEXITABS:

Flexitabs adjusts the wash cycle to give the best possible results regardless of the type of detergent used.



### WATERSAVE:

System WaterSave ensures the best washing results with minimal water consumption depending on the model of dishwasher.



### NOISE LEVEL:

Excellent insulation and special components keep noise to a minimum.



### PROFESSIONAL:

The optional 4 Professional programs enables the appliance to significantly reduce the washing times to a minimum 16 minute cycle (subject to water and electrical connection).



### ACTIVELIGHT

is an led light which projects a red spot onto the floor beneath the dishwasher when the appliance is in use.



### ANTI-DRIP:

Some models of dishwashers are equipped with special polymer nozzles anti-drip, that improve the process of drying.



### THE NEW EXTRAGLIDE GUIDE SYSTEM,

available on top of the range models, makes the second basket even smoother and softer. In fact, it facilitates the extraction of the introduction, even at full load and, for the greater excursion, the insertion of crockery is also facilitated in the rear part.



### INVERTER TECHNOLOGY:

The evolution of Smeg's driers towards more intelligent and environmentally sustainable models has led to the choice of using Inverter technology with heat pumps, which reduces significantly energy consumption.



### FLEXI FIT

Models with new Flexi Fit hinges are able to be installed in kitchens with a plinth of just 5cms. With this new hinge design, the panel has a sliding movement from the bottom to the top, avoiding any possible interference of the panel with the plinth.



### PLANETARIUM WASHING SYSTEM

The Planetarium wash system, patented by Smeg, ensures maximum wash coverage within the dishwasher by using an innovative double simulation motion of the spray arm.



### AUTO 45 - 65

: The auto programme regulates the length of a cycle depending on the need for a pre-wash and the number of rinses required.



### CRYSTAL:

The crystal cycle is a particular programme designed especially for delicate dishes with light dirt.



### ECO:

Eco, this economic wash programme uses a low amount of water and energy in order to provide the most environmentally friendly cleaning option.



### NORMAL PROGRAMME:

The normal programme is suitable for normal degrees of dirt for everyday use.



### SOAK PROGRAMME:

The soak programme provides a rinse to prevent dirt from drying.



### ULTRACLEAN:

The Ultraclean option performs a final rinse at a high temperature of 70°C eliminating virtually all bacteria.



### QUICK TIME:

The Quick Time option can reduce the length of the wash cycle up to 55%.