



Electrolux

Handling System for Dishwasher Mobile roller conveyors

ITEM # _____

MODEL # _____

NAME # _____

SIS # _____

AIA # _____



Electrolux



865200 - 863052 - 863053 - 863054 - 863055 - 865201 -
863056 - 863057 - 863058 - 863059 - 865202 - 863060 -
863061 - 863062 - 863063 - 863064

Short Form Specification

Item No. _____

Constructed in 304 AISI stainless steel. Basin with sloping bottom.

Short plastic rollers. Square 40x40mm square legs.

N. 4 swiveling casters, 2 with brakes, 125mm in diameter.

Designed for 500x500mm dishwashing baskets.

Knock-down delivery.

Integrated end plate and end limit switch.

Main Features


- Designed to transport 500x500 mm dishwashing baskets.
- "Click-in" connection to the dishwasher curve.
- Four legs included with swivel type casters plus "click-in" connection to the dishwasher curve easily removable for quick access. Two casters equipped with brakes to stabilize the position of the conveyor during normal operation.
- The table can be used in unloading side.
- Manual rack movement with short rollers.
- Supplied knocked-down and easy to assemble.
- Connection of mobile conveyors after a 180° dishwasher driven curve.
- End limit switch and end plate included.
- Connection of end-limit switch to the dishwasher.
- The mobile roller conveyor available form 1145mm (for 2 racks) up to 2645mm (for 5 racks) with 100mm-step length.

Construction

- All surfaces smooth with polished finish.
- AISI 304 1,2mm stainless steel basin.
- Rounded corners in the bottom of the table for easy cleaning.
- 40x40mm stainless steel tubular and square legs.
- Conveyors optionally equipped with guides for racks and plain shelves.
- Swivel type 125 mm castors, of which 2 with brakes.
- Sloping drain below the conveyor leads to the central draining point with a connected dishwasher curve.

APPROVAL: _____

Front



Key Information:

External dimensions, Width:

865200 (HSSRC11M)	1145 mm
863052 (HSSRC12M)	1200 mm
863053 (HSSRC13M)	1300 mm
863054 (HSSRC14M)	1400 mm
863055 (HSSRC15M)	1500 mm
865201 (HSSRC16M)	1645 mm
863056 (HSSRC17M)	1700 mm
863057 (HSSRC18M)	1800 mm
863058 (HSSRC19M)	1900 mm
863059 (HSSRC20M)	2000 mm
865202 (HSSRC21M)	2145 mm
863060 (HSSRC22M)	2200 mm
863061 (HSSRC23M)	2300 mm
863062 (HSSRC24M)	2400 mm
863063 (HSSRC25M)	2500 mm
863064 (HSSRC26M)	2600 mm

External dimensions, Height:

910 mm


External dimensions, Depth:

620 mm

Height adjustment:

50/50 mm

Side




Basin material:

Stainless Steel AISI 304 - EN 1.4301

Type of rollers:

Short

Top



Optional Accessories

	865200	863052	863053	863054	863055	865201	863056	863057	863058	863059	865202	863060	863061	863062	863063	863064
863090 (Shelf, plain (with rear back H=100 mm), 1245 mm, mobile roller conveyor)		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
863091 (Shelf, plain (with rear back H=100 mm), 1345 mm, mobile roller conveyor)			✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
863092 (Shelf, plain (with rear back H=100 mm), 1445 mm, mobile roller conveyor)				✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
863093 (Shelf, plain (with rear back H=100 mm), 1545 mm, mobile roller conveyor)					✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
863094 (Shelf, plain (with rear back H=100 mm), 1745 mm, mobile roller conveyor)							✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
863095 (Shelf, plain (with rear back H=100 mm), 1845 mm, mobile roller conveyor)								✓	✓	✓	✓	✓	✓	✓	✓	✓
863096 (Shelf, plain (with rear back H=100 mm), 1945 mm, mobile roller conveyor)									✓	✓	✓	✓	✓	✓	✓	✓
863097 (Shelf, plain (with rear back H=100 mm), 2045 mm, mobile roller conveyor)										✓	✓	✓	✓	✓	✓	✓
863098 (Shelf, plain (with rear back H=100 mm), 2245 mm, mobile roller conveyor)											✓	✓	✓	✓	✓	✓
863099 (Shelf, plain (with rear back H=100 mm), 2345 mm, mobile roller conveyor)												✓	✓	✓	✓	✓
863100 (Shelf, plain (with rear back H=100 mm), 2445 mm, mobile roller conveyor)													✓	✓	✓	✓
863101 (Shelf, plain (with rear back H=100 mm), 2545 mm, mobile roller conveyor)														✓	✓	✓
863102 (Shelf, plain (with rear back H=100 mm), 2645 mm, mobile roller conveyor)															✓	✓
863116 (Grid undershelf, with frames, for mobile conveyor, 1245 mm)		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
863117 (Grid undershelf, with frames, for mobile conveyor, 1345 mm)			✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
863118 (Grid undershelf, with frames, for mobile conveyor, 1445 mm)				✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
863119 (Grid undershelf, with frames, for mobile conveyor, 1545 mm)					✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
863120 (Grid undershelf, with frames, for mobile conveyor, 1745 mm)							✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
863121 (Grid undershelf, with frames, for mobile conveyor, 1845 mm)								✓	✓	✓	✓	✓	✓	✓	✓	✓
863122 (Grid undershelf, with frames, for mobile conveyor, 1945 mm)									✓	✓	✓	✓	✓	✓	✓	✓
863123 (Grid undershelf, with frames, for mobile conveyor, 2045 mm)										✓	✓	✓	✓	✓	✓	✓
863124 (Grid undershelf, with frames, for mobile conveyor, 2245 mm)											✓	✓	✓	✓	✓	✓
863125 (Grid undershelf, with frames, for mobile conveyor, 2345 mm)												✓	✓	✓	✓	✓
863126 (Grid undershelf, with frames, for mobile conveyor, 2445 mm)													✓	✓	✓	✓
863127 (Grid undershelf, with frames, for mobile conveyor, 2545 mm)														✓	✓	✓
863128 (Grid undershelf, with frames, for mobile conveyor, 2645 mm)															✓	✓
865223 (Guide rack for 4 dishwasher baskets, 1100 mm - 1500 mm)	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
865224 (Guide rack for 8 dishwasher baskets, 1600 mm - 2000 mm)						✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
865225 (Guide rack for 12 dishwasher baskets, 2100 mm - 2500 mm)											✓	✓	✓	✓	✓	✓
865226 (Guide rack for 16 dishwasher baskets, 2600 mm)												✓	✓	✓	✓	✓
865227 (Shelf, plain (with upstand H=100 mm), 1145 mm, mobile roller conveyor)	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
865228 (Shelf, plain (with upstand H=100 mm), 1645 mm, mobile roller conveyor)						✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
865229 (Shelf, plain (with upstand H=100 mm) for mobile roller conveyor, 2145 mm)											✓	✓	✓	✓	✓	✓
865234 (Connection bracket for plain undershelf and grid undershelves (to be used if roller conveyor is connected directly to Rack Type))	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
865235 (Connection bracket for plain undershelf and grid undershelves (to be used if roller conveyor is connected directly to Rack Type with splash hood))	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
865240 (Grid undershelf, with frames, for mobile conveyor, 1145 mm)	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
865241 (Grid undershelf, with frames, for mobile conveyor, 1645 mm)						✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
865242 (Grid undershelf for mobile conveyor, 2145 mm)											✓	✓	✓	✓	✓	✓