



Opus 800

PRODUCT OPTIONS AND ACCESSORIES

- LK06 OPUS 800 LEG KIT
- OA8901 SPLASHBACK/SHELF - OG8001

PRODUCT FEATURES

- Powerful 7.5kW dual concentric Burners for focused heat distribution from a fast boil to a low simmer
- Individual heavy-duty single cast iron supports, built to withstand the rigours of the busiest kitchen
- Low flue to allow use of the complete hob top
- Powerful 6.8kW oven
- Large 2 x GN1/1 capacity oven enabling two different foods to be cooked simultaneously

WEIGHTS & DIMENSIONS

Width	600 mm
Depth	800 mm
Height	920 mm
Weight	99.5 kg

SHIPPING DETAILS

Ship Width	70 cm
Ship Depth	800 cm
Ship Height	105 cm
Ship Weight	109.45 kg
Ship Method	LTL Common Carrier
Shipping Package Type	Pieces
Shipping Origin Zip Code	LN6 3QZ, UNITED KINGDOM
Quick Ship Product	No

PRODUCT CERTIFICATIONS



ENERGY SPECS

Primary Energy Type	Gas	Gas Inlet Size	0.75 in
Electrical Kilowatts	36.8 kW	Gas Inlet Pressure Required	20 mBar
Dedicated Circuit Required	No	Gas Consumption at Max Use Per Hour	3.51 m ³
Gas Type	Natural Gas	Total Heat Input at Max Use	36.8 kW, 125561 BTU per hour
Gas Total BTUs	125561 BTU		

ADDITIONAL SPECIFICATIONS

Construction Materials	Stainless Steel	Open or Sealed Burners	Sealed
Control Type	Mechanical	Oven Power Rating	6.8 kW
Cooking Plate Finish Material Type	Cast Iron Plate	Oven Temperature Minimum	120 °C
Exterior Trim Finish Color	Stainless Steel	Oven Temperature Maximum	260 °C
Gastronorm Capacity	2 x GN1/1	Shelf Depth	530 mm
High Altitude Kit Available	No	Shelf Width	480 mm
Number of Heating Zones	4	Ventless Cooking Technology	No
Number of Hot Top Burners	4	Cooking Equipment	Sealed Burner
Number of Shelf Positions	5	BTUs Per Burner	7.5 KW
Number of Shelves	2		



LINCAT OPUS NATURAL GAS FREE-STANDING OVEN RANGE - 4
BURNERS - W 600 MM - 36.8 KW

MODEL: OG8001/N

SELECT COOKING EQUIPMENT	NUMBER OF	POWER RATING	ARRANGE- MENT	WIDTH	DEPTH
Sealed Burner 1		4	Center	300 mm	300 mm

SELECT BASE EQUIPMENT	NUMBER OF	CUBIC CAPACITY EACH	WIDTH	DEPTH	HEIGHT
Standard Oven 1			495 mm	530 mm	405 mm

BIDDING SPECIFICATIONS (SHORT FORM SPECS)

Bidding Specifications Not Available.



TECHNICAL DRAWING

