

ICBA, CE 220-240V UK

Height: 26.8" Width: 10.2" Depth: 22.1"
(68.1cm) (25.9cm) (56.1cm)



- Sleek modernized design language, with rounded angles on the corners and trunk
- Digital readout displays in English, Spanish, or French ---for easier programming and control--- and can show either 'Standard' or Metric measurements. Digital readout also shows machine status, and targeted advertising messages can be programmed for display.
- BUNN Infusion Series technology allows for multiple recipes from one footprint --- with three brew buttons and two batch sizes
- Energy-saver mode reduces tank temperature during idle periods
- The exclusive Peak Extraction® Sprayhead provides improved uniformity of extraction and greater resistance to limescale buildup
- Electronic funnel lock prevents removal of each brew funnel until drip- through is complete
- USB programming capable
- Brew counter keeps track of how many batches are brewed
- Pre-infusion and pulse brew for maximum flavor extraction. Cold brew lockout & digital temperature control further ensure top-notch brewing.
- Hot water faucet (supplied for custom installation)
- Servers not included unless otherwise noted

 Server(s) sold separately

Agency:



Specifications

Product #: 53100.0501

Funnel: Black Plastic Smart Funnel

Water Access: Plumbed

Interface: Wireless

Finish: Stainless

Additional Features

Electrical & Capacity

Volts*	Amps	Watts	Cord Attached	Plug Type	8oz cups/hr 236ml cups/hr	Input H ₂ O Temp.	Phase	# Wires plus Ground	Hertz
220-240	11.0-12.0	2400-2900	Yes	UK 13A	141	60°F (15.5°C)	1	2	50-60

*When a BUNN is machine rated 120/208-240V, 120/208V or 120/240V, the higher voltage is the supply voltage needed to power the machine. The 120V is there to supply power to some components rated 120V in the machine, but it is not the supply voltage and would not power the machine if the machine is marked with the before mentioned ratings.

Plumbing Requirements

PSI	kPa	Fitting Supplied	Water Flow Required (GPM)
20-90	138-621	3/8" Male Flare Fitting	1.00

CAD Drawings


2D	Revit	KLC
●		

 **WARNING:**



BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit bunn.com.

Last Updated:
12/30/2025



	Unit			Shipping				
	Height	Width	Depth	Height	Width	Depth	Weight	Volume
English	26.8 in.	10.2 in.	22.1 in.	34.9 in.	13.3 in.	27.4 in.	46.860 lbs	7.321 ft ³
Metric	68.1 cm	25.9 cm	56.1 cm	88.6 cm	33.7 cm	69.5 cm	21.256 kgs	0.207 m ³



BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit bunn.com.

Last Updated:
12/30/2025

Related Products & Accessories: ICBA, CE 220-240V UK(53100.0501)

 <p>FILTERS, GOURMET 500 500/1 50/CL</p> <hr/> <p>Product #: 20138.1000</p>	 <p>WATER FILTER, EQHP-10L</p> <hr/> <p>Product #: 39000.0001³</p>	 <p>WATER FILTER, EQHP-10</p> <hr/> <p>Product #: 39000.0004³</p>	 <p>FUNNEL ASSY, SMART COFFEE BLK-CLEARED</p> <hr/> <p>Product #: 53463.0021</p>	 <p>FUNNEL ASSY, SMART COFFEE BLK-CLEARED</p> <hr/> <p>Product #: 53463.0038²</p>
---	---	--	--	--

 <p>SYSTEM, WQ-55(2)5L</p> <hr/> <p>Product #: 56000.0001¹</p>	 <p>SYSTEM, WQ-55(2)5</p> <hr/> <p>Product #: 56000.0004¹</p>	 <p>SYSTEM, WEQ-10(1.5)5L</p> <hr/> <p>Product #: 56000.0024¹</p>	 <p>SYSTEM, WEQ-10(1.5)5</p> <hr/> <p>Product #: 56000.0027¹</p>	 <p>CARTRIDGE, WQ-55(2)5L</p> <hr/> <p>Product #: 56000.0101¹</p>
---	--	--	---	--

 <p>CARTRIDGE, WQ-55(2)5</p> <hr/> <p>Product #: 56000.0104¹</p>	 <p>CARTRIDGE, WEQ-10 (1.5)5L</p> <hr/> <p>Product #: 56000.0121¹</p>	 <p>CARTRIDGE, WEQ-10 (1.5)5</p> <hr/> <p>Product #: 56000.0122¹</p>
---	--	---

¹NSF Certified ²NSF Certified with spec sheet model listed ³NSF Certified under Solventum Purification ⁴NSF Certified under Mavea LLC ⁵NSF Certified under Zojirushi ⁶NSF Certified under Qins Inc ⁷NSF COMPONENT Certified



BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit bunn.com.

Last Updated:
12/30/2025

Serving & Holding Options: ICBA, CE 220-240V UK(53100.0501)



AIRPOT, 2.5L SST LA
SINGLE PK

Product #: 32125.0000⁶
Mfr#:SVAP-2500F-N



AIRPOT, 2.5L SST LA 6/
CASE

Product #: 32125.0100⁶
Mfr#:SVAP-2500F-N



AIRPOT, 3.0L SST LA
SINGLE PK

Product #: 32130.0000⁶
Mfr#:SVAP-3000F-N



AIRPOT, 3.0L SST LA 6/
CASE

Product #: 32130.0100⁶
Mfr#:SVAP-3000F-N



AIRPOT, 3.8L SST LA
SINGLE PK

Product #: 36725.0000⁶
Mfr#:SVAP-3800F-N



AIRPOT, 3.8L SST LA 6/
CASE

Product #: 36725.0100⁶
Mfr#:SVAP-3800F-N



STAND ASSY, TF
SERVER

Product #: 39795.0003



TF SERVER, DSG2 1G
SST NOBASE

Product #: 42700.0050¹



TF SERVER, DSG2 1G
BLK NOBASE

Product #: 42700.0051¹



TF SERVER, 1G DSG
GEN3 NOBASE

Product #: 42700.0250¹



TF SERVER, DSG2 1.5G
SST NOBAS

Product #: 42750.0050¹



TF SERVER, 1G/3.8L
MECH NOBASE

Product #: 44000.0050¹



TF SERVER, 1G/3.8L
MECH BLK NOBASE

Product #: 44000.0051¹



TF SERVER, 1G MECH
GEN3 NOBASE

Product #: 44000.0250¹



TF SERVER, 1.5G/5.7L
MECH NOBASE

Product #: 44050.0050¹

¹NSF Certified ²NSF Certified with spec sheet model listed ³NSF Certified under Solventum Purification ⁴NSF Certified under Mavea LLC ⁵NSF Certified under Zojirushi ⁶NSF Certified under Qins Inc ⁷NSF COMPONENT Certified



BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit bunn.com.

Last Updated:
12/30/2025

Serving & Holding Options: ICBA, CE 220-240V UK(53100.0501)



TF SERVER, 1.5G/5.7L
MECH BLK NOBASE

Product #: 44050.0051¹



STAND ASSY KIT, TF
SERVER

Product #: 54473.1000



BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit bunn.com.

Last Updated:
12/30/2025