


NON-TOUCH DISPLAY



HELIOS STANDARD, FREESTANDING



HELIOS STANDARD, DROP-IN

TOUCH DISPLAY



HELIOS TOUCH, FREESTANDING

FEATURES

- Helios STANDARD Wok with rotary control knob and power button. Free-standing or drop-in
- Helios TOUCH with capacitive touch screen AND rotary control. Freestanding only
- 2.5kW, 3kW or 3.5kW 240V single phase
- Freestanding or drop-in design with stainless steel housing
- TOUCH model with rotary control knob PLUS capacitive touch screen for maximum flexibility and control. Colour screen can be viewed from any angle
- High-quality electronics and heavy gauge Litz wire for maximum control and reliability
- Wok-shaped induction coil for maximum power transfer
- Easy-to-clean high temperature ceramic-glass top
- Automatic pan detection for instant energy transmission to pan
- Automatic shut-off feature prohibits overheating
- Washable metal grease filter (free-standing units)
- Microprocessor monitors vital components to check for overheating, power supply issues, and more

Wok pan of correct profile MUST be used. Wok pan diameter 14"/355mm recommended. Use of non-approved pan shape will invalidate warranty. Contact MCS for pan approval.

INCLUDED

- FIVE year parts and labour warranty (UK & Ireland only)
- Standard Cat 5e or Cat 6 patch cable from unit to control box (drop-in only)
- Plug and cord (2m nominal)



CERTIFICATIONS






*Induction cooking requires the use of induction-compatible (i.e. magnetic) cookware.

It is the owner and installer's responsibility to comply with all local codes. CookTek reserves the right to make substitutions of components or change specifications without prior notice.



**HELIOS STANDARD
FREESTANDING**



**HELIOS STANDARD
DROP-IN**



**HELIOS TOUCH
FREESTANDING**



DIMENSIONS - HELIOS STANDARD FREESTANDING		
Full Unit Height	7.4"	188 mm
Full Unit Width	15.6"	396 mm
Full Unit Depth	20"	509 mm
Feet Height	1.3"	32 mm
Weight	22 lb.	8.6 kg
Max Ambient Temperature	122°F	50°C
WALL CLEARANCE*		
Front	2"	51 mm
Sides	2"	51 mm
Rear	2"	51 mm
DIMENSIONS - HELIOS STANDARD DROP-IN		
Full Unit Height	6.2"	178 mm
Full Unit Width	16.5"	419 mm
Housing Width	15.38"	391 mm
Full Unit Depth	16.5"	419 mm
Housing Depth	15.38"	391 mm
Cutout Width	15.75"	400 mm
Cutout Depth	15.75"	400 mm
Weight	22 lb.	8.6 kg
Max Ambient Temperature	122°F	50°C
WALL CLEARANCE*		
Front	2"	51 mm
Sides	2"	51 mm
Rear	2"	51 mm
DIMENSIONS - HELIOS TOUCH FREESTANDING		
Full Unit Height	7.4"	188 mm
Full Unit Width	15.6"	396 mm
Full Unit Depth	20"	509 mm
Feet Height	1.3"	32 mm
Weight	22 lb.	8.6 kg
Max Ambient Temperature	122°F	50°C
WALL CLEARANCE*		
Front	2"	51 mm
Sides	2"	51 mm
Rear	2"	51 mm

SHIPPING INFORMATION		
Packaged Height	9"	229 mm
Packaged Width	18.75"	476 mm
Packaged Depth	20.75"	527 mm
Packaged Weight	24 lb.	10.9 kg
Item Class	250 NMFC #26710	



BS 546, 16A, 250V



IEC 309, 16A, 3-pin

UK and Ireland Distributor:



MCS Technical Products Ltd
Building 2 Westmead Ind Est,
Westmead Drive Swindon , SN5 7YT, UK
+44(0) 1793 538308
sales@mcstechproducts.co.uk
www.mcstechproducts.co.uk

Helios STANDARD Induction WOK Freestanding		
NEW CookTek Helios STANDARD Induction Wok, freestanding/ countertop, rotary control, 20 power levels, stainless steel exterior, washable air filter, FIVE YEAR parts and labour warranty by MCS engineers		
Model No.	Part No.	Electrical spec
HRF-WK2500 (Supersedes MWG2500)	HRF-9500-WK25-2	2.5kW 240V/50/1 13A 3 pin plug. CE, NSF
HRF-WK3000 (Supersedes MWG3000)	HRF-9500-WK30-2	3.0kW 240V/50/1 13A 3 pin plug. CE, NSF
HRF-WK3500 (Supersedes MWG3500)	HRD-9500-WK35-2	3.5kW 240V/50/1 16A round blue 3 pin plug. CE, NSF

Helios STANDARD Induction WOK Hob Drop-in		
NEW CookTek Helios STANDARD Induction Wok, drop-in, separate control box with rotary control, 20 power levels, stainless steel exterior, FIVE YEAR parts and labour warranty by MCS engineers		
Model No.	Part No.	Electrical spec
HRD-SH2500 (Supersedes MCD2500)	HRD-9500-SH25-2	2.5kW 240V/50/1 13A 3 pin plug. CE, NSF
HRD-SH3000 (Supersedes MCD3000)	HRD-9500-SH30-2	3.0kW 240V/50/1 13A 3 pin plug. CE, NSF
HRD-SH3500 (Supersedes MCD3500)	HRD-9500-SH35-2	3.5kW 240V/50/1 13A 3 pin plug. CE, NSF

Helios TOUCH Induction Wok Freestanding		
NEW CookTek Helios TOUCH Induction Wok, countertop, touch control and rotary control, 100 power levels, colour LCD display, stainless steel exterior, washable air filter, FIVE YEAR parts and labour year warranty by MCS engineers		
Model No.	Part No.	Electrical spec
HTF-WK2500	HTF-9500-WK25-2	2.5kW 240V/50/1 13A 3 pin plug. CE, NSF
HTF-WK3000	HTF-9500-WK30-2	3.0kW 240V/50/1 13A 3 pin plug. CE, NSF
HTF-WK3500	HTF-9500-WK35-2	3.5kW 240V/50/1 16A round blue 3 pin plug. CE, NSF

Wok pan of correct profile MUST be used. Wok pan diameter 14"/355mm recommended. Use of non-approved pan shape will invalidate warranty. Contact MCS for pan approval.

**The provided clearances apply to a unit not placed near a heat source. Refer to the owner's manual for clearance requirements if the unit is placed near a heat source.*