



IMC VENTUS V60 BOTTLE COOLER [FRONT LOAD] - FULL FRONT
GLASS DOOR - STAINLESS STEEL FRAME - H 900 MM - W 600 MM -
R290

MODEL: F76/173



Ventus

PRODUCT FEATURES

- Full front door for seamless integration
- Reduced 450mm depth
- Wide range of options available to customise your bottle cooler, ensure a perfect fit in any bar.
- Elegant, flexible storage for up to 96 bottles
- Dynamic Air Distribution System coupled with efficient compressors and improved insulation ensures superior cooling times.
- Electronic temperature control keeps drinks at the perfect serving temperature
- Energy efficient EcoSmart controller - at the touch of a button, put the bottle cooler into its most economical state until next required
- Sleek stainless steel interior and LED lighting to enhance display
- Single double-glazed lockable door for enhanced security
- UK 3 pin plug allows users to simply plug in and switch on

Ventus forms part of our dynamic range of bottle coolers. With over 150 options you can be assured that the feature packed V60 can be tailored to suit any bar environment.

A/A FILE NUMBER:

ITEM NUMBER:



IMC VENTUS V60 BOTTLE COOLER [FRONT LOAD] - FULL FRONT
GLASS DOOR - STAINLESS STEEL FRAME - H 900 MM - W 600 MM -

MODEL: F76/173

WEIGHTS & DIMENSIONS

Width	600 mil
Depth	450 mil
Height	900 mil
Weight	64 kg

SHIPPING DETAILS

Number of Shipment Parcels	1
Shipping Origin Zip Code	LN6 3QZ, UNITED KINGDOM
Quick Ship Product	No
Returnable Item	No

PRODUCT CERTIFICATIONS



ENERGY SPECS

Primary Energy Source Type	Electricity	Number of Electrical Conductor Wires	1
Electrical Amps	1.64	Electrical Connection Type	Cord and Plug
Electrical Voltage	240	Electrical Plug Type	UK 3-Pin Plug
Electrical Watts	393	Number of Electrical Plugs	1
Electrical Phase	Single	Dedicated Circuit Required	No
Kilowatts	0.393 kW	Energy Saving	Yes

ADDITIONAL SPECIFICATIONS

Application Type	Undercounter	Legs or Casters	Not Applicable
Capacity: Bottles	96	Number of Shelf Positions	29
Capacity Volume	130 l	Number of Shelves	2
Control Type	Digital Touch Pad, Electronic	Refrigerant Type	R-290
Defrost Method	Automatic	Temperature Maximum	6 °C
Insulated	Yes	Temperature Minimum	2 °C
		Type of Lighting	LED

BIDDING SPECIFICATIONS

Bidding Specifications Not Available.








IMC VENTUS V60 BOTTLE COOLER [FRONT LOAD] - FULL FRONT
GLASS DOOR - STAINLESS STEEL FRAME - H 900 MM - W 600 MM -

MODEL: F76/173

TECHNICAL DRAWING



IMC reserves the right to modify specifications or discontinue models
without incurring obligation. Dimensions nominal.

Document Auto-Generated
January 24, 2024