ATOSA USA, INC.
Toll Free: 855-855-0399 Email: info@atosausa.com
www.atosa.com | www.atosausa.com
California, Colorado, Florida, Georgia, Illinois,
New Jersey, Ohio, Texas, Washington

"WE MAKE THE KITCHEN BETTER!"

TEA DISPENSERS

MODELS:

TD-3L-ND / TD-3T-DT / TD-5L-ND / TD-5T-DT

Standard Features

- Removable lid for easy refilling and cleaning
- Available in 3 Gal (11.36 L) and 5 Gal (18.93 L) capacities
- Stainless steel body
- Durable no-drip spigot for consistent dispensing
- TD-3L-ND and TD-5L-ND only work with short coffee brewer models (CB3L011 and CB3L021)
- TD-3T-DT and TD-5T-DT work with both short and tall coffee brewer models
- NSF certified



TD-3L-ND
SHORT MODEL
NO DRIP TRAY



TD-3T-DT
TALL MODEL
WITH DRIP TRAY



TD-5L-ND
SHORT MODEL
NO DRIP TRAY



TD-5T-DT
TALL MODEL
WITH DRIP TRAY

1 YEAR PARTS AND LABOR WARRANTY

REV. 07/26


ATOSA USA, INC.
Toll Free: 855-855-0399 Email: info@atosausa.com
www.atosa.com | www.atosausa.com
California, Colorado, Florida, Georgia, Illinois,
New Jersey, Ohio, Texas, Washington

"WE MAKE THE KITCHEN BETTER!"


SPECIFICATIONS

Models	Capacity (gal/L)	Exterior Dimensions (inch/mm)	Package Dimensions (inch/mm)	Net Weight (lb/kg)	Gross Weight (lb/kg)
TD-3L-ND	3/11.36	$6^{3/4}$ x $13^{3/4}$ x $15^{3/8}$ / 170 x 350 x 390	$7^{3/4}$ x 16 x $16^{3/8}$ / 197 x 406 x 416	5.07/2.30	6.57/2.98
TD-3T-DT	3/11.36	$6^{3/4}$ x $14^{3/4}$ x $21^{1/4}$ / 170 x 373 x 538	$7^{3/4}$ x 16 x 22 / 197 x 406 x 559	6.33/2.87	8.07/3.66
TD-5L-ND	5/18.93	$6^{3/4}$ x $19^{3/8}$ x $15^{3/8}$ / 170 x 495 x 390	$7^{1/8}$ x $21^{1/2}$ x $16^{3/8}$/ 181 x 546 x 416	6.88/3.12	8.62/3.91
TD-5T-DT	5/18.93	$6^{3/4}$ x $20^{1/4}$ x $21^{1/4}$ / 170 x 510 x 538	$7^{1/8}$ x $21^{1/2}$ x 22/ 181 x 546 x 559	8.55/3.88	10.63/4.82


PLAN VIEW




TD-3L-ND



TD-5L-ND



TD-3T-DT



TD-5T-DT

ATOSA USA, INC.
Toll Free: 855-855-0399 Email: info@atosausa.com
www.atosa.com | www.atosausa.com
California, Colorado, Florida, Georgia, Illinois,
New Jersey, Ohio, Texas, Washington

"WE MAKE THE KITCHEN BETTER!"

COFFEE DISPENSERS

MODELS:

CD-15-NL/ CD-15-NL-WS / CD-15-L/ CD-15-L-WS

Standard Features

- Stainless steel interior for heat retention
- 1.5 Gal (5.68 L) capacity
- Double-wall vacuum insulation to maintain temperature for up to 24 hours
- Drip-free dispensing spout for precise pouring
- Brew-through lid for direct brewing
- Features an exceptional average cooling rate of just 1.78°F per hour (maintaining a 190°F initial temperature at approximately 148°F after 24 hours in a standard 77°F environment), keeping fresh coffee at peak serving quality
- Compatible with short coffee brewer models (CB3L011 and CB3L021)
- CD-15-L and CD-15-L-WS include a built-in level indicator
- NSF certified

Optional Accessories

- Stand for CD-15-NL : NL-stand
- Stand for CD-15-L : L-stand



CD-15-NL
1.5 GAL, NO STAND
NO LEVEL INDICATOR



CD-15-NL-WS
1.5 GAL, WITH STAND
NO LEVEL INDICATOR



CD-15-L
1.5 GAL, NO STAND
WITH LEVEL INDICATOR



CD-15-L-WS
1.5 GAL, WITH STAND
WITH LEVEL INDICATOR

1 YEAR PARTS AND LABOR WARRANTY

REV. 07/26


ATOSA USA, INC.
Toll Free: 855-855-0399 Email: info@atosausa.com
www.atosa.com | www.atosausa.com
California, Colorado, Florida, Georgia, Illinois,
New Jersey, Ohio, Texas, Washington

"WE MAKE THE KITCHEN BETTER!"


SPECIFICATIONS

Models	Capacity (gal/L)	Exterior Dimensions (inch/mm)	Package Dimensions (inch/mm)	Net Weight (lb/kg)	Gross Weight (lb/kg)
CD-15-NL	1.5/5.68	$8^{7/8}$ x $12^{1/8}$ x 15 / 227 x 305 x 380	$11^{1/2}$ x $15^{5/8}$ x 17 / 292 x 397 x 432	6.61/3	7.72/3.5
CD-15-NL-WS	1.5/5.68	$8^{7/8}$ x $14^{1/8}$ x $22^{1/2}$/ 227 x 305 x 570	$11^{1/2}$ x $15^{5/8}$ x $25^{1/4}$/ 292 x 397 x 641	9.02/4.09	10.23/4.64
CD-15-L	1.5/5.68	$8^{7/8}$ x $13^{5/8}$ x $15^{1/4}$/ 227 x 339 x 388	$11^{1/2}$ x $15^{5/8}$ x 17/ 292 x 397 x 432	6.61/3	7.72/3.5
CD-15-L-WS	1.5/5.68	$8^{7/8}$ x $14^{3/8}$ x $22^{3/4}$/ 227 x 339 x 578	$11^{1/2}$ x $15^{5/8}$ x $25^{1/4}$/ 292 x 397 x 641	9.02/4.09	10.23/4.64


PLAN VIEW




CD-15-NL




CD-15-NL-WS




NL-Stand



CD-15-L



CD-15-L-WS



L-Stand