SERV-WARE™ Product Spec Sheet

5 Tube Fryers

GAS

Item #
Project :
Qty :

Model No. SGF-70N / SGF-70L



SGF-70N / SGF-70L

Features:

- 30,000 BTU per tube and thermostat with a temperature range of 200˚F to 400˚F
- Stainless steel front, sides, top & header; galvanized steel back
- Stainless steel door with integral liner & recessed handle
- Stainless steel fry tank with peened finish; cold zone in fry tank
- Double-rod stainless steel basket hanger
- 1-¼" full-port drain valve for easy cleaning
- All fryers have drain tube racks and wire mesh fry baskets
- Casters installed
- Optional ¾" to ½" Coupling Reducer Available

Warranty Info:



One Year

- Parts & Labor on entire unit.
- Valid in United States.
- Valid for commercial use only.

Two Year

- Pot, Part Only.

Intertek Intertek

Conforms to UL471, CSA C22.2 and NSF 7 Standards.

Revised 10/23/2026


Phone:(800).768.5953
Fax:(800).976.1299
www.servware.com

Copyright © 2026 Serv-Ware Products LLC.

SGF-70N / SGF-70L 5 Tube Fryers

SERV-WARE™

Item #
Project :
Qty :



Basket details: see page 3.

Technical Information:

MODEL #	DESCRIPTION	DIMENSIONS (W x D x H)	WEIGHT/LBS. (Shipping)
SGF-70N	5 Tube Natural, 70 lbs.	21" W x 30.125" D x 45.875" H	205 lbs.
SGF-70L	5 Tube LP, 70 lbs.	21" W x 30.125" D x 45.875" H	205 lbs.

CONSTRUCTION

Stainless steel front, sides, top & header; galvanized steel back. Stainless steel door with integral liner & recessed handle. Stainless steel fry tank with peened finish. Double-rod stainless steel basket hanger with wire mesh fry baskets.

COOKING

Temperature Range	200°F – 400°F
BTU/H per Burner	30,000
Gas Inlet	½ in.
Required Gas Hose	¾
W.C. for Natural Gas	4 in.
W.C. for LP	10 in.

Intertek Intertek


Prop. 65 Warning for California Residents
WARNING: This product may contain chemicals known to the State of California to cause cancer, birth defects, or other reproductive harm.


Copyright © 2026 Serv-Ware Products LLC.

SERV-WARE™


Phone:(800).768.5953
Fax:(800).976.1299
www.servware.com

Front View





Side View



Top View

SERV-WARE™
Copyright © 2026 Serv-Ware Products LLC.

Phone:(800).768.5953
Fax:(800).976.1299
www.servware.com