

# ELECTRIC MULTI-PURPOSE BRAISING PAN 13LT.

Project: .....  
Rev: .....  
Zone: .....  
Location: .....



CODICE  
CR0989919

MODELLO  
D72/10KBEF

SERIE  
DIAMANTE70



## GENERAL CHARACTERISTICS

In addition to offering the widest choice of solutions and 2 mm thick and 70 cm deep tops, this series has all the power, robustness and functionality you need to work efficiently. Scotch Brite finish stainless steel outer shells and feet. Worktop height adjustable from 840 to 900 mm. Modularity of range: 200-400-600-800-1200 Wide range of accessories.

## TECHNICAL SPECIFICATIONS

Equipment certified for low voltage directive 2014/35/EU according to the international CB scheme.

Thanks to the jet-proofing certification obtained in specific tests, the knobs and under-knobs can be washed, without compromising functionality and safety.

# ELECTRIC MULTI-PURPOSE BRAISING PAN 13LT.

Project: .....  
Rev: .....  
Zone: .....  
Location: .....



CODICE  
CR0989919

MODELLO  
D72/10KBEF

SERIE  
DIAMANTE70

## Technical Information

SPECIFICATION	DATA
MATERIAL	CR0989919
DEFINITION	D72/10 KBEF MULTIPLE M40
COMMERCIAL LINE	DIAMANTE
SUPPLY	ELECTRICS
DIM. WIDTH	400 mm
DIM. PRODUCTIVITY	730 mm
DIM. HEIGHT	870 mm
NET WEIGHT	50,000 Kg
VOLUME (net)	0,254
PACKAGE LENGTH	440,000 mm
PACKAGE WIDTH	850,000 mm
PACKAGING HEIGHT	1030,000 mm
PACKAGE VOLUME	0,400 m3
GROSS PACKING WEIGHT	58,000 Kg
STANDARD POWER SUPPLY	380-415V 3N
FREQUENCY	50-60 Hz
ELECTRICAL POWER	4,050 kW
IP GRADE	IPX4
CERTIFIED MODEL	D72/10 KBEF

# ELECTRIC MULTI-PURPOSE BRAISING PAN 13LT.

Project: .....  
 Rev: .....  
 Zone: .....  
 Location: .....


CODICE  
CR0989919

MODELLO  
D72/10KBEF

SERIE  
DIAMANTE70

## SCHEMA DI INSTALLAZIONE - INSTALLATION DIAGRAM - INSTALLATIONSPLAN - SCHÉMA D'INSTALLATION - ESQUEMA DE INSTALACION - INSTALLATIESCHEMA - IINSTALLATIONSRIITNINGAR

MISURE IN cm - DIMENSIONS IN cm - ABMESSUNGEN IN cm  
 MESURES EN cm - MEDIDAS EN cm - MATEN IN cm



Legenda - Legende - Key - Légende - Leyenda - Legenda

**E** Pressacavo entrata linea elettrica - Stopfbuchse - Electric cable stress relief  
 Presse étoupe de câble él. - Pisacable - Elektrische kabelwartel

**S** Scarico vasca - Wannenabflussrohr - Pan outlet  
 Vidange du bac - Descarga cuba - Water toevoer

**H2O\*** Attacco arrivo acqua - Wasseranschluss - Water inlet  
 Arrivée eau - Union de agua - Wateraansluiting  
**EN ISO 228-1 G 3/4**

# ELECTRIC MULTI-PURPOSE BRAISING PAN 13LT.

Project: .....  
Rev: .....  
Zone: .....  
Location: .....



CODICE  
CR0989919

MODELLO  
D72/10KBEF

SERIE  
DIAMANTE70

## Product's PLUS

Equipment certified for low voltage directive 2014/35/EU according to the international CB scheme.



Thanks to the jet-proofing certification (IPX5) obtained through specific tests, knobs and under-knobs can be washed, without compromising functionality and safety.

# ELECTRIC MULTI-PURPOSE BRAISING PAN 13LT.

Project: .....  
Rev: .....  
Zone: .....  
Location: .....



CODICE  
CR0989919

MODELLO  
D72/10KBEF

SERIE  
DIAMANTE70

## ACCESSORIES

CODE	MODELLO	DESCRIZIONE
CR1200099	D7FC40	
CR1353559	DRG11	
CR0592779	ZF4	
CR0592830	ZG	
MA97432000	R	
MA97433000	RI	
CR0592869	PZM	
CR0593580	9PT	
CR0592879	KPA	
CR0592940	9CAT *	Water column for top equipment
CR0599859	7CAM *	Water dispensing column for equipment on oven, open compartment or monoblock
CR0599649	7ZL	