

Specification/Datasheet

Mobile oven rack model 20-half size - SecurityLine



Article number

60.21.319

Description

Mobile oven rack to hold GN accessories. For fast and convenient loading and unloading of the cooking system.

Intended use

This product is intended for professional use, such as in restaurant kitchens or catering operations for schools, hospitals, or delis. Any other use runs counter to its intended purpose and could be dangerous. RATIONAL AG assumes no liability for the consequences of improper use.

Features

- Secures the containers with a lock
- Can be loaded with containers on both sides
- Tilt protection when pulling out the container using U-rails
- 4 casters (of which 2 are lockable)
- Handle that is securely installed on the mobile oven rack and which is retractable.
- 20 support rails with a 2 1/2 in (65 mm) rail distance

Capacity

1/1 GN	Roasting and baking trays	20 x
1/1 GN	Grid	20 x
1/1 GN	3/4 in (20 mm) deep	20 x
1/1 GN	1 1/2 in (40 mm) deep	20 x
1/1 GN	2 1/2 in (65 mm) deep	10 x
1/1 GN	4 in (100 mm) deep	10 x
H4-1/2 (up to 2.9 lb)	Chicken Superspike	12 x
H6-1/1 (up to 4 lb)	Chicken Superspike	6 x
H8-1/1 (up to 2.9 lb)	Chicken Superspike	6 x
H10-1/1 (up to 2 lb)	Chicken Superspike	6 x

Use of other containers: 1/3 GN, 1/2 GN, 2/3 GN

Dimensions and weights

Space between bottom rack and cooking cabinet opening:	4 7/8 in (123 mm)
Space between top rack up to the cooking cabinet opening:	4 in (101 mm)
Max. rack height:	65 in (1,65 m)
Max. load capacity:	198 lb (90 kg)
Max. load capacity per level:	33 lb (15 kg)

Dimensions and weights

Width (W):	22 1/4 in (566 mm)
Height (H):	68 5/8 in (1,742 mm)
Depth (D):	30 7/8 in (784 mm)
Weight:	79.4 lb (36 kg)



Specification/Datasheet

Mobile oven rack model 20-half size - SecurityLine



Material

Stainless steel (CNS 1.4301/AISI 304)



Tandem casters - plastics, metal parts made from CNS stainless steel

Note, Option

- Please refer to the original manual of the associated device for cleaning and care instructions
- Positioning aid for core probe
- Thermocover

Specification/Datasheet

Mobile oven rack model 20-half size - SecurityLine



mm [inch]

