

2-BURNER GAS RANGE ON OPEN CUPBOARD

CODE
CR0993549

MODEL
D72/10CG

SERIE
DIAMANTE70

Project:

Rev.:

Zone:

Location:



*we*innovate cooking



GENERAL FEATURES

- In addition to offering the maximum choice of 2 mm thick solutions and plans and 70cm depths, this series is equipped with all the power, robustness and functionality you need to work efficiently.
- External coatings and stainless steel feet Britite Scotch Finish.
- Height of the adjustable work surface from 840 to 900mm.
- Gamma modularity: 200-400-600-800-1200
- Wide range of accessories.
-

TECHNICAL DATA

- 2-BURNER GAS RANGE ON OPEN CUPBOARD
- Outer casing and feet in stainless steel.
- Adjustable worktop height, ranging from 840 to 900 mm.
- Shaped cooker control panel with knobs slanted towards the operator.
- Nickel-plated top burners with stable flame. Thermocouple safety valve with pilot light.
- Acid-resistant black enameled cast iron burner grates with long spokes suitable for supporting small pots and pans.
- Stainless steel drip bowls.

2-BURNER GAS RANGE ON OPEN CUPBOARD



we innovate cooking

CODE
CR0993549

MODEL
D72/10CG

SERIE
DIAMANTE70

TECHNICAL INFORMATION

SPECIFICATIONS	DATA
CODE	CR0993549
DEFINITION	D72/10 CG 2 FUOCHI VANO GIORNO
MODEL	D72/10 CG
COMMERCIAL LINE	DIAMANTE
SUPPLY	GAS
WIDTH	400 MM
DEPTH	730 MM
HEIGHT	870 MM
NET WEIGHT	50,800
VOLUME	0,254 M3
PACKAGING LENGTH	460,000
PACKAGING WIDTH	850,000
PACKAGING HEIGHT	1150,000
PACKAGING VOLUME	0,450
PACKAGING GROSS WEIGHT	60,000
GAS TYPE	GPL 28-30/37 mbar
GAS POWER (G30/30 MBAR)	9,10 KW
GAS POWER (G25/25 MBAR)	8,20 KW
CERTIFIED MODEL	D72/10 CG
CERTIFICATION NUMBER	CE-0085BU0310
POT GAS TOT / POT FRIGO2	9,10
CERTIFICATION	0085BU0310
CERTIFICATION BODY	0085
TYPE	A GIORNO
NUMBER OF MODULES	1/2 MODULO

2-BURNER GAS RANGE ON OPEN CUPBOARD



we innovate cooking

CODE
CR0993549

MODEL
D72/10CG

SERIE
DIAMANTE70

ACCESSORIESES

CODE	MODEL	DESCRIPTION
SUPBRUC	SUPBRUC	10 KW BURNER EXTRA
MA97365000	XBV-GGN1/1	GRID GN 1/1
MA97375000	XBF-GGN2/1	GRID GN 2/1
MA97377000	XBF9M-G	GRID FOR MAXI OVEN
MA97376900	XBF-TGN2/1	TRAY 2/1
MA97378000	XBF9M-T	TRAY FOR MAXI OVEN
CR1353839	CR1353839	BN-SMOOTH PLATE 1F 396X348 90/04
CR1353849	CR1353849	BN-RIBBED PLATE 1F 396X348 90/04
CR0996979	DBVP4	PORTINA COTTURA DIAMANTE, VANI DA 400
CR0997009	DBVPA4	PORTINA ACCESSORIABILE
CR0997029	DAPC	DOORCOLTELLI
CR0997019	DAPD	DOORDOSATORI
CR0997039	DAPS	DOORSPEZIE
CR0997049	DAPM	DOORMESTOLI
CR0997059	DAPDB	DOORDOSATORI/BOTTIGLIE
CR1353589	DBVC4	DBVC4 KIT DRAWERS BASE M40
CR0599709	72/10BH	NEUTRAL BASES WITH HYGIENIC FINISHING TYPE H2
CR1353559	DRG11	GRILL HOLDERS GN 1/1
CR1200099	7FC40	BOTTOM WARM FOR UNITS
CR0592779	NXZF4	PLINTH FRONT M40 NXZF4
CR0592830	NX9ZG	GIUNZIONE ZOCCOLATURA
CR0599649	7ZL	SIDE PLINTH NX7ZL
MA97432000	NXR	SET OF WHEELS NXR
MA97433000	NXRI	SET OF WHEELS INOX NXRI
CR0592940	NX9CAT	WATER TAP PER TOP NX9CAT
CR0599859	7CAM	WATER TAP
CR0592869	CR0592869	4 PIEDI X INSTALL.SU ZOCCOLO DI CEMENTO
CR0593580	NX9PT	KIT PIEDINI PER TOP NX9PT
CR0592879	CR0592879	KIT ANTI RIBALTAMENTO 2 PIEDI X N900
CR0592399	NXTVT1	KIT PANNELLI X BASE TECN.1 FRONTE NXTVT1
CR0592409	NXTVT2	KIT PANNELLI X BASE TECN.2 FRONTI NXTVT2
PTD7DX	PTD7DX	END SIDE RIGHT ELEMENT
PTD7SX	PTD7SX	END SIDE LEFT ELEMENT

2-BURNER GAS RANGE ON OPEN CUPBOARD

CODE
CR0993549

MODEL
D72/10CG

SERIE
DIAMANTE70



*we*innovate cooking

we cook with
Diamante

Product's PLUS



Right-angle Venturi burner that prevents the nozzle from clogging and collecting dirt.



Nickel-plated cast-iron stabilised flame burners with two-piece flame spreader (improved efficiency of a flame spread over two different sectors), pan rest with long arms for easy placing of small pots and pans.



Removable AISI 304 stainless-steel basin for maximum hygiene.



Thanks to the water jet ingress protection rating, awarded after passing specific tests, knobs and knob bezels can be washed at the end of the working day without affecting performance or safety.

Olis Ali Group S.r.l.

Via Del Boscon, 424 - 32100 Belluno - Italy

W: olis.it M: info@olis.it

T: +39 0437 8558

F: +39 0437 838 274



2-BURNER GAS RANGE ON OPEN CUPBOARD



we innovate cooking


CODE
CR0993549

MODEL
D72/10CG

SERIE
DIAMANTE70

SCHEMA DI INSTALLAZIONE - INSTALLATION DIAGRAM - INSTALLATIONSPLAN - SCHÉMA D'INSTALLATION - ESQUEMA DE INSTALACION -INSTALLATIESCHEMA - IINSTALLATIONSRITNINGAR

MISURE IN cm - DIMENSIONS IN cm - ABMESSUNGEN IN cm
MESURES EN cm - MEDIDAS EN cm - MATEN IN cm



Legenda - Legende - Key - Légende - Leyenda - Legenda

- E** Pressacavo entrata linea elettrica - Stopfbuchse
Electric cable stress relief - Presse étoupe de câble él
Pisacable - Elektrische kabelwartel
- G** Attacco arrivo gas - Gasanschluss - Gas connection
Arrivée gaz - Union de gas - Gasaansluiting
EN 10226-1 R 1/2; EN ISO 228-1 G 1/2 (DK)
- H2O*** Attacco arrivo acqua - Wasseranschluss - Water inlet
Arrivée eau - Union de agua - Wateraansluiting
EN ISO 228-1 G 3/4