

Cleveland

MINI MVP TILT SKILLET

ELECTRIC TABLE TYPE, RECTANGULAR,
10 GALLON (40 LITER) WORKING CAPACITY

Project _____
Item _____
Quantity _____
FCSI Section 11400 _____
Approved _____
Date _____

Models

- SET-10



Shown with
optional Double Pantry
Faucet (DPK24)



Shown with optional
Support Stand (ST28)
and Double Pantry
Faucet (DPK24)

Short Form Specifications

Shall be CLEVELAND 10 Gallons (40 liters)
Model SET-10 _____; _____ KW _____ Volt,
mini tilt skillet of type 304 Stainless Steel
Construction, with #4 Finish. Electric Heating
Elements cast integrally onto 1.25" / 32mm
thick aluminum blocks and securely clamped
beneath cooking surface. Bead-Blast-Textured
Cooking Surface. Complete with Thermostatic,
Safety and Main Power Controls with Lighted
Indicators. For Table Top Mounting. Spring
Assist Cover.

Standard Features

- Heating Element are cast integrally into 1.25" (32mm) thick aluminum blocks which are securely camped to the underside of the cooking surface, providing even heat distribution and energy efficiency with rapid heat-up
- Stainless Steel Cooking Surface is structurally braced to prevent warping
- Bead-blast Textured Cooking Surface Finish to reduce sticking
- Heavy Duty Stainless Steel Construction, with #4 Finish
- Easydial style controls with time and temperature controls and display, 3 cooking modes, built-in diagnostics and removable core temperature probe
- Solid State Temperature Control conveniently located in a Drip Proof Side Console. Temperature Controlled from 190°F (88°C) to 425°F (220°C)
- Sanitary Base Mounting for Table Top or Stand Mounted Installation
- Standard 208 Volts, 60 Hz, 3 Phase, 3 Wire
- Spring Assist Cover
- Removable Core Temperature Probe
- Typical approvals include UL, CSA, and NSF
- 12 gallon (45 liter) capacity to rim, 10 gallon (40 liter) working capacity

Options & Accessories

- Poaching Pans (PP)
- Vegetable Steamer (VS)
- Scooper & Spaddle
- Double or Single Water Faucet with Swing Spout (DPK24) or (SPK24)
- Stainless Steel Support Stands (ST28) with Sliding Drain Drawer and Splash Screen
- Single phase option (SPH)
- Food Strainer (SF10)
- Fry Baskets (FB10) (1 each)
- 1.5" Tangent Draw-off (38mm) (TD1.5)
- 240 volt, 60 Hz., 3 phase (VOSK1)
- 340-415 volt, 50 Hz., 3 phase (VOSK2)

KE004046-90

Cleveland





Braising Pans / Tilting Skillets

CAPACITIES

In 4 oz. servings. Other sizes may be calculated.
10 gallons / 40 Liters 320

Shipping Weights & Dimensions

Model - SET-10
Weight - 212 lbs
Width - 26"
Depth - 34"
Height - 30.5"




ELECTRICAL											
Volts	Ph	Hz	KW	Amps	Wire Size	Volts	Ph	Hz	KW	Amps	Wire Size
SET-10 (Standard Wattage)						SET-10 (High Wattage)					
208	1	60	5.9	28.4	8	208	1	60	7.4	35.4	6
208	3	60	5.9	16.4	10	208	3	60	7.4	20.4	10
220	1	60	6.6	29.8	8	220	1	60	8.2	37.4	6
220	3	60	6.6	17.2	10	220	3	60	8.2	21.6	10
230	1	60	7.2	31.3	8	230	1	60	9.0	39.1	6
230	3	60	7.2	18.9	10	230	3	60	9.0	22.6	10
240	1	60	7.8	32.7	8	240	1	60	9.8	40.8	6
240	3	60	7.8	18.9	10	240	3	60	9.8	23.6	10
220/380	3	50	6.6	9.9	14	220/380	3	50	8.2	11.9	14
240/415	3	50	7.8	10.9	14	240/415	3	50	9.8	14.2	12

NOTES:

Cleveland Range reserves right of design improvement or modification, as warranted.
Many regional, state and local codes exist and it is the responsibility of the owner and installer to comply with the codes.
Cleveland Range equipment is built to comply with applicable standards for manufacturers. Included among those approval agencies are U.L., NSF, CGA, CSA, ETL and others.

(NOT TO SCALE)



760 Beta Drive, Unit D
Mayfield Village, Ohio 44143

Tel 1.216.481.4900
Fax 1.216.481.3782
Email steam@clevelandrange.com

www.clevelandrange.com
06 / 2026

Timeless Quality, Trusted For Life®

MINI MVP TILT SKILLET EASYTOUCH

ELECTRIC TABLE TYPE, RECTANGULAR,
10 GALLON (40 LITER) WORKING CAPACITY

Project _____
Item _____
Quantity _____
FCSI Section 11400 _____
Approved _____
Date _____

Models

- SET-10 easyTouch



Shown with easyTouch 7" Display Optional
Double Pantry Faucet (DPK24)



Optional Sous-Vide Pump Optional Sous-Vide & Frying Baskets

Standard Features

- Heating Element are cast integrally into 1.25" (32mm) thick aluminum blocks which are securely camped to the underside of the cooking surface, providing even heat distribution and energy efficiency with rapid heat-up
- Stainless Steel Cooking Surface is structurally braced to prevent warping
- 12 gallon (45 liter) capacity to rim, 10 gallon (40 liter) working capacity
- Bead-blast Textured Cooking Surface Finish to reduce sticking
- Heavy Duty Stainless Steel Construction, with #4 Finish
- easyTouch 7" UI display Interface is conveniently located in a Drip Proof Side Console. Temperature controlled up to 425°F (220°C)
- Sanitary Base Mounting for Table Top or Stand Mounted Installation
- Standard 208 Volts, 60 Hz, 3 Phase, 3 Wire, Standard Wattage
- Spring Assist Cover & Soft Drop Pan Release
- Typical approvals include NSF, UL
- Meets IPX6 water rating guidelines for console
- Product Probe

easyTouch 7" Control

- 7" easyTouch UI interface simplifies operations with accurate touch tune
- Multi-step cooking modes, including sous-vide & probe modes
- Press & Go Recipes with cookbook storage
- Self Diagnostics & Maintenance - error & event logs



7" easyTouch Display

Options & Accessories

- Sous-Vide Pump
- Sous-Vide & Frying Baskets
- Poaching Pans (PP)
- Vegetable Steamer (VS)
- Double or Single Water Faucet with Swing Spout (DPK24) or (SPK24)
- Stainless Steel Support Stands (ST28) with Sliding Drain Drawer and Splash Screen
- Single phase option (SPH)
- Food Strainer (SF10)
- 1.5" Tangent Draw-off (38mm) (TD1.5)
- 208 - 240 volt, 60 Hz., 1 or 3 phase in standard or high wattage (VOSK1)


Short Form Specifications

Shall be CLEVELAND 10 Gallons (40 liters)
Model SET-10 easyTouch _____; _____ KW
_____ Volt, mini tilt skillet of type 304
Stainless Steel Construction, with #4 Finish.
Electric Heating Elements cast integrally onto
1.25"/ 32mm thick aluminum blocks and
securely clamped beneath cooking surface.
Bead-Blast-Textured Cooking Surface.
Complete with Thermostatic, Safety and Main
Power Controls with Lighted Indicators. For
Table Top Mounting. Spring Assist Cover.

KE004046-90

Cleveland

Braising Pans / Tilting Skillets



CAPACITIES

In 4 oz. servings. Other sizes may be calculated.
 10 gallons / 40 Liters 320

ELECTRIC ⚡										CLEARANCE	
		208 VOLTS			240 VOLTS			220 /380 VOLTS			RIGHT = 3.00" LEFT = 0" REAR = 1.00"
		AMPS			AMPS			AMPS			
GALS	LITERS	KW	1 PH	3 PH	KW	1 PH	3 PH	KW	1 PH	3 PH	
10	40	7.4	35.4	20.5	7.8	32.7	18.9	6.5	N/A	9.9	
DUAL VOLTAGE OF 220/380 SHOWN ON CHART REQUIRES A FOUR WIRE, THREE PHASE ELECTRICAL SUPPLY.											

CLEARANCE	
RIGHT	= 3.00"
LEFT	= 0"
REAR	= 1.00"

Shipping Weights & Dimensions

Model - SET-10

Weight - 212 lbs
 Width - 26"
 Depth - 34"
 Height - 30.5"

NOTES:
 Cleveland Range reserves right of design improvement or modification, as warranted.
 Many regional, state and local codes exist and it is the responsibility of the owner and installer to comply with the codes.
 Cleveland Range equipment is built to comply with applicable standards for manufacturers. Included among those approval agencies are U.L., NSF, CGA, CSA, ETL and others.

(NOT TO SCALE)