



OD8007/P - Opus 800
Dual Fuel [Propane Gas]
Free-standing Oven
Range - 6 Burners - W
900 mm - 40.2 kW

This powerful Opus 800 dual fuel oven is built to deliver high volumes of top quality food and will withstand the rigours of even the busiest kitchen.

- ✔ Powerful 7.5kW dual concentric Burners for focused heat distribution from a fast boil to a low simmer
- ✔ Individual heavy-duty single cast iron supports, built to withstand the rigours of the busiest kitchen
- ✔ Low flue to allow use of the complete hob top
- ✔ Powerful 6kW twin fan assisted oven for even cooking results
- ✔ Large 6 x GN1/1 capacity oven enabling six different foods to be cooked simultaneously
- ✔ Dual Fuel Oven Ranges

Specifications

Summary

Range Name	Opus 800
Power Type	Dual Fuel
Gas Type	Propane Gas
Unit Type	Free-standing
Available in UK Only	No
UK Warranty	2 Years Parts and Labour Warranty
Export Warranty	Contact your local dealer
GTIN Code	5056105102335

Power and Performance

BTU per Hour	137,168
Gastronorm Capacity	6 x GN1/1
Total Power kW	40.2
Temperature Range °C	120 - 280
IP Rating	IP24
Temperature Control	Mechanical
Rating per Hob kW	6.7
Oven Rating kW	6.0

Key Specifications

Number of Shelves included	3
Number of Shelf Positions	5
Number of Hobs	6
Shape of Hob	Square

Weights and Dimensions

Unit Height (External) mm	912
Unit Width (External) mm	900
Unit Depth (External) mm	800
Height (Internal) mm	410
Width (Internal) mm	825
Depth (Internal) mm	530
Shelf Dimensions Width mm	770
Shelf Dimensions Depth mm	530
Hob Dimensions mm	300 x 300
Net Weight Kg	186




Supply Connections		Shipping	
--------------------	--	----------	--

Requires Installation	Yes	Packed Weight Kg	201
Requires Electrical Supply	Yes	Packed Height cm	107
UK 3 Pin Plug	No	Packed Width cm	100
Requires Hardwiring	Yes	Packed Depth cm	85
Electrical Supply Rating Watts	6,060		
Single Phase Amps	26.0		
Single Phase Voltage	230		
Three Phase Amps	L1=9.0 ; L2=8.7 ; L3=8.7		
Three Phase Voltage	400		
Gas Connection BSP	3/4"		
Gas Consumption at full rate Propane m³ per Hour	2.87		
Gas Pressure Propane mbar	37.0		
Total heat input at full rate Propane kW	40.2		
Total heat input at full rate Propane BTU per hour	137,168		

Available Accessories

CH01	NULL
CH02	NULL
LK06	NULL
OA8985	SPLASHBACK/SHELF - OD8007

Technical Picture



Lincat Limited

Whisby Road,
Lincoln, LN6 3QZ,
United Kingdom

Company No: 2175448

A member company of



Customer Care

Tel: +44 1522 875500
Email: care@lincat.co.uk

Export Customers

Tel: +44 1522 503250
Email: export@lincat.co.uk

Opening Hours

Monday – Friday:
8.30am – 5pm