



Product Code: HR120 13-246

Space Saver Refrigerated Undercounter Cabinet



Features & Benefits

- Front breathing refrigeration system, suitable for use even in enclosed areas
- Easy to use microprocessor control with digital display on the front for easy visual reference
- Stainless steel exterior as standard with aluminium interior
- Roller castors to rear for ease of movement
- Integrated door lock for security
- High quality magnetic door gasket
- Operate in ambient up to 40°C
- GN1/1 Undercounter storage on a small footprint

Base Fittings

Castors - Rear Fixed	Standard
Levelling Bolts	Standard

Electrical & Service Data

230/50/1	Standard
Fuse Required (A)	10

Energy

AEC	293
Nett Volume	68.9
Energy Grade	A
Energy Efficiency Index	14.9

Doors

Solid	Standard
Left Hand Hinged Door	Option

Specification

Refrigerator +1/+4°C	Standard
Width (mm)	440
Depth (mm)	745
Height (mm)	895
Unpacked weight (Kgs)	69
Packed weight (Kgs)	77.02
Gross Volume (Ltr)	120

Refrigeration

Integral Refrigeration System	Standard
--------------------------------------	----------


Finish

304 s/s ext & alu int	Standard
304 s/s	Standard
Aluminium	Standard

Footnotes

- External cabinet depth excludes 25mm door handle
- Note: for ventilation, ensure that 50mm clearance is allowed above and around the cabinet
- Decibel rating measured 1m high from the floor and 1m from the cabinet

Energy Performance Data and information



Application

This appliance is intended for use in ambient temperatures up to {1}°C

Safety

Precautionary instructions and maintenance advice, to ensure efficient operation, can be found in this products operating instructions.

Recycling

For recycling and end of life care for this product, please refer to environmental section of the website or visit [our policies](#)



Energy



Quality



Value



Design



Hygiene



After Care

Foster Refrigerator, Oldmedow Road, King's Lynn, Norfolk, PE30 4JU

Phone 08432 168800 | Email sales@foster-uk.com | Visit www.fosterrefrigerator.com

All images shown are for illustration purpose only. All images and photographs are not intended to be relied upon for, nor to form part of, any contract unless specifically incorporated in writing into the contract. Solely the dimensions and specifications incorporated in the quotation or purchase order confirmation shall be contractually binding.