

# Super Gas Grill M40 - Cast Iron Grill - M40 Top Version

Project: .....  
Rev: .....  
Zone: .....  
Location: .....



CODICE  
CR1655889

MODELLO  
D92/10TSGGG

SERIE  
DIAMANTE90



## GENERAL CHARACTERISTICS

In addition to offering the maximum choice of solutions and 2 mm thick and 90 cm deep tops, this series has all the power, robustness and functionality you need to work efficiently. External coatings and feet in stainless steel with Scotch Brite finish. Working table height adjustable from 840 to 900 mm. Range modularity: 200-400-600-800-1200. Wide range of accessories.

## TECHNICAL SPECIFICATIONS

Grid height adjustment device on two levels.  
Canal with drainage hole and removable grease and residue collection.  
Internal drawer for collecting residues.  
4 Grill types available: meat, fish, mixed stainless steel and reversible cast iron meat/fish version  
GRILL, HUMIDIFIER, SMOKER ACCESSORIES: Always available as accessories for all versions.  
Changing the type of cooking also in the utility GAS Grill / lava stone, with dedicated accessories  
In gas versions, the power is regulated by a continuously variable tap to adapt the heat of the hotplate to the type of cooking  
Smoker that can be installed on the M80 - M120 models for a barbecue-flavoured menu

Larger, recessed grease trough on the worktop, easier to clean and more capacious

HUMIDIFIER accessory for optimal management of several types of cooking.

Grill height adjustment for handling different types of cooking

4 Grill types available: meat, fish, mixed stainless steel and reversible cast iron meat/fish version

Changing the type of cooking also in the utility GAS Grill / lava stone, with dedicated accessories

In gas versions, the power is regulated by a continuously variable tap to adapt the heat of the hotplate to the type of cooking

# Super Gas Grill M40 - Cast Iron Grill - M40 Top Version

Project: .....  
Rev: .....  
Zone: .....  
Location: .....



CODICE  
CR1655889

MODELLO  
D92/10TSGGG

SERIE  
DIAMANTE90

## Technical Information

SPECIFICATION	DATA
MATERIAL	CR1655889
DEFINITION	D92/10TSGGG CAST IRON GAS GRILL M40 TOP
COMMERCIAL LINE	DIAMANTE
SUPPLY	GAS
DIM. WIDTH	400 mm
DIM. PRODUCTIVITY	900 mm
DIM. HEIGHT	250 mm
NET WEIGHT	1,000 Kg
VOLUME (net)	0,090
PACKAGE LENGTH	440,000 mm
PACKAGE WIDTH	1020 mm
PACKAGING HEIGHT	550,000 mm
PACKAGE VOLUME	0,248 m3
GROSS PACKING WEIGHT	2,000 Kg
GAS POWER	12,50
GAS POWER (G25.3/25mbar)	12,00
CERTIFIED MODEL	D92/10TSG

# Super Gas Grill M40 - Cast Iron Grill - M40 Top Version

Project: .....  
Rev: .....  
Zone: .....  
Location: .....




CODICE  
CR1655889

MODELLO  
D92/10TSGGG

SERIE  
DIAMANTE90

MISURE IN cm - DIMENSIONS IN cm - ABMESSUNGEN IN cm - MESURES EN cm  
MEDIDAS EN cm - MATEN IN cm - DIMENSIONES EN cm



## Legenda - Legende - Key - Légende - Leyenda - Legenda - Legenda

<b>E</b> Pressacavo entrata linea elettrica - Stopfbuchse - Electric cable stress relief - Presse étoupe de câble él - Pisacable - Elektrische kabelwartel - Entrada cabo eléctrico	<b>G</b> Arrivo gas - Gasanschluss - Gas connection - Arrivée gaz - Union de gas - Gasaansluiting - Ligação gás <b>EN 10226-1 R 1/2; EN ISO 228-1 G 1/2 (DK)</b>
<b>S</b> Attacco scarico acqua - Wasserablauf - Water outlet - Vidange de l'eau - Desaguadero - Wateraftapaansluiting - Junção descarga água	<b>H20</b> Arrivo acqua - Wasseranschluss - Water inlet - Arrivée eau - Union de agua - Wateraansluiting - Junção alimentação água
<b>S1</b> Scarico vasca - Wannababflussrohr - Pan outlet - Vidange du bac - Descarga cuba - Water toevoer - Descarga da cuba	<b>A1</b> = Calda - Heiss - Warm - Chaude - Caliente - Warm - Morno <b>A2</b> = Fredda - Kalt - Cold - Froid - Fria - Koude - Frio
<b>S2</b> Valvola di depressione - Anti-depression valve - Unterdruck ventil - Soupape de dépression - Válvula de depresión - Onderdrukklep - Válvula de depressão	
<b>S3</b> Scarico acqua intercapedine - Wasserablauf Zwischenraum - Jacket water drain Evacuation eau double envelope - Descarga de agua intersticios - Afvoer water tussenruimte - Descarga de água na marmita com Sistema de aquecimento indirecto	
<b>S4</b> Scarico - Abflussrohr - Drain - Tuyau d'évacuation - Tubo de drenaje - Aftapbuis - Tubulação de dreno	<b>L</b> Rubinetto di livello - Level tap - Wasserhahn - Robinet de niveau - Grifo de nivel - Niveaakraan - Torneira de nivel

# Super Gas Grill M40 - Cast Iron Grill - M40 Top Version

Project: .....  
 Rev: .....  
 Zone: .....  
 Location: .....



CODICE  
CR1655889

MODELLO  
D92/10TSGGG

SERIE  
DIAMANTE90


## Product's PLUS



Grill height adjustment for handling different types of cooking



Smoker that can be installed on the M80 - M120 models for a barbecue-flavoured menu



4 Grill types available: meat, fish, mixed stainless steel and reversible cast iron meat/fish version



Larger, recessed grease trough on the worktop, easier to clean and more capacious



Changing the type of cooking also in the utility GAS Grill / lava stone, with dedicated accessories



HUMIDIFIER accessory for optimal management of several types of cooking.



In gas versions, the power is regulated by a continuously variable tap to adapt the heat of the hotplate to the type of cooking

# Super Gas Grill M40 - Cast Iron Grill - M40 Top Version

Project: .....  
Rev: .....  
Zone: .....  
Location: .....



CODICE  
CR1655889

MODELLO  
D92/10TSGGG

SERIE  
DIAMANTE90

## ACCESSORIES

CODE	MODELLO	DESCRIZIONE
CR1656629	D9CAA	
CR1656639	D9CAG	
CR1353909	DCPL6	
CR1656649	D9KP4	
CR1656659	D9AF	
CR1656669	D9KU4	
CR1656679	D92GG	
CR1656689	D92GTI	
CR1658449	D92GI	