

Coffee System

Classic Traditional espresso machine, 2 groups, 10,1 liter boiler, UK Plug


ITEM # _____

MODEL # _____

NAME # _____

SIS # _____

AIA # _____


602629 (CLASSIC2)

Traditional Espresso Machine, 2 groups, 10,1 liter boiler, 2 independent control boxes with 4 programmable dosing program, manual water & steam, automatic cleaning cycle, stainless steel body, UK plug

Short Form Specification

Item No. _____

Traditional 2 groups espresso machine with large steam boiler. Elegant lines and reliable technologies appreciated by coffee professionals, the CLASSIC model is made more attractive by its quality/ price ratio. Designed for rugged commercial application, the CLASSIC is the perfect traditional espresso machine to ensure an excellent quality espresso result, consistency and high performance during rush period.

Main Features

- The CLASSIC Elegant lines and reliable technologies appreciated by coffee professionals, the CLASSIC model is made more attractive by its quality/ price ratio. The CLASSIC is the perfect traditional espresso machine to ensure an excellent quality espresso result, and consistency even during the busiest periods of the day.
- With its easy operation and serviceability, the Classic offers technical features ensuring outstanding coffee throughout the day.
- Heavy duty components and welded construction, a direct mounted boiler group head for thermal stability and reliable extraction, easy access to components for uncomplicated serviceability, and unlimited steam.
- Single boiler: 1 Large copper boiler with Heat exchanger technology with 330ml internal boiler.
- Maestro brew group: directly to boiler group heads are mounted for shot temperature stability.
- Large cup warming capacity: integrated cup warmer on the top of the machines.
- 4 programmable volume keys per group + Semi-automatic key for each group for manual control.
- Automatic cleaning program.

Construction

- Stainless steel body.
- 2 groups - 10.1 liter boiler.
- 2 stainless steel Steam arms / 2 Steam switches on, off and pulse positions.
- Build-in cup warmer.

Optional Accessories

- Filter holder for one cup PNC 871002
-
- Filter holder for two cups PNC 871003
-
- Filter holder for three cups PNC 871004
-
- Raised feet kit PNC 871005
-
- Knock box drawer for Mira2 and Classic2 PNC 871006
-
- Knock box drawer for Mira3 and Classic3 PNC 871007
-
- Stainless steel 57 mm tamper PNC 871016
-
- Filter for one cup, 12 gr PNC 871017
-
- Filter for two cups, 18 gr PNC 871018
-

APPROVAL: _____

- Stainless steel knock box drawer PNC 871019 □

Electric**Supply voltage:**

602629 (CLASSIC2) 240 V/1 ph/50 Hz

Electrical power max.:

4.6 kW

Current consumption:**Plug type:****Water:****Cold water temperature**

(min/max): 0 / 0 °C

Key Information:**External dimensions, Width:** 642 mm**External dimensions, Height:** 508 mm**External dimensions, Depth:** 568 mm**Net weight:** 55 kg**Shipping volume:** 0.69 m³