



## F76/271/B - IMC Ventus V90 Bottle Cooler [Front Load] - Full Front Glass Door - Black Painted Frame - H 850 mm - W 900 mm - R290

Ventus forms part of our dynamic range of bottle coolers. With over 150 options you can be assured that the feature packed V90 can be tailored to suit any bar environment.

- ✓ Full front door for seamless integration
- ✓ Reduced 850mm height
- ✓ Wide range of options available to customise your bottle cooler, ensure a perfect fit in any bar.
- ✓ Elegant, flexible storage for up to 117 bottles
- ✓ Dynamic Air Distribution System coupled with efficient compressors and improved insulation ensures superior cooling times.
- ✓ Electronic temperature control keeps drinks at the perfect serving temperature
- ✓ Energy efficient EcoSmart controller - at the touch of a button, put the bottle cooler into its most economical state until next required
- ✓ Sleek stainless steel interior and LED lighting to enhance display
- ✓ Double glazed doors for enhanced insulation
- ✓ UK 3 pin plug allows users to simply plug in and switch on

### Specifications

#### Summary

<b>Brand</b>	IMC
<b>Range</b>	Ventus
<b>Power Type</b>	Electric
<b>Unit Type</b>	Free-standing
<b>Available in UK Only</b>	Export Only
<b>UK Warranty</b>	2 Years Parts and Labour Warranty
<b>Export Warranty</b>	Contact your local dealer
<b>GTIN</b>	5056105197690

#### Power and Performance

<b>Total Power kW</b>	0,393
<b>Temperature Range °C</b>	2-6
<b>IP Rating</b>	IPX1
<b>Temperature Control</b>	Electronic

#### Key Specifications

<b>Door Hinge</b>	Left; Right
<b>Door Location</b>	Front
<b>Lockable Door</b>	No
<b>Colour</b>	Black Painted
<b>Number of Doors</b>	2
<b>Door Type</b>	Full front, glass
<b>Number of Shelves included</b>	2
<b>Number of Shelf Positions</b>	29
<b>Refrigerant Type</b>	R290
<b>Type of Lighting</b>	LED

#### Capacity

<b>Capacity Bottles</b>	117
<b>Capacity Litres</b>	185

Weights and Dimensions		Supply Connections	
------------------------	--	--------------------	--

Unit Height (External) mm	850	Requires Installation	No
Unit Width (External) mm	900	Requires Electrical Supply	Yes
Unit Depth (External) mm	500	UK 3 Pin Plug	Yes
Height (Internal) mm	705	Requires Hardwiring	No
Width (Internal) mm	826	Electrical Supply Rating Watts	393
Depth (Internal) mm	377	Single Phase Amps	1.64
Shelf Dimensions Width mm	810	Single Phase Voltage	240
Shelf Dimensions Depth mm	373		
Net Weight Kg	0		

Shipping	
----------	--

Packed Weight Kg	0
Packed Height cm	0
Packed Width cm	0
Packed Depth cm	0

Available Options	
-------------------	--

<b>Door Type</b>	
VS1030	VS1030 - Change to Full Front Cladded Doors
VS745	VS745 - Change to Solid Door
<b>Lighting</b>	
VS855	VS855 - Change to Red LED Lights
VS856	VS856 - Change to Green LED Lights
VS857	VS857 - Change to Blue LED Lights
<b>Shelving Type</b>	
VS360	VS360 - Change to Wine Shelving
VS400	VS400 - Change to Perforated Shelving
<b>EU Plug</b>	
VS401	VS401 - Change to EU Plug
<b>De-Gassed</b>	
VS1017	VS1017 - De-Gassed for Air Freight

Available Accessories	
-----------------------	--

A12/092/Z1	Wire Shelf - Chrome - for M90 Bottle Cooler
A12/101	Wine Shelf - Chrome - for M90 Bottle Cooler
S76/047	Perforated Shelf - for V90 - 500D



**Lincat Limited**

Whisby Road,  
Lincoln, LN6 3QZ,  
United Kingdom

**Company No:** 2175448

A member company of



**Customer Care**

**Tel:** +44 1522 875500  
**Email:** care@lincat.co.uk

**Export Customers**

**Tel:** +44 1522 875536  
**Email:** export@lincat.co.uk

**Opening Hours**

**Monday – Friday:**  
8.30am – 5pm