


ITEM # _____

MODEL # _____

NAME # _____

SIS # _____

AIA # _____



865200 - 863052 - 863053 - 863054 - 863055 - 865201 -
 863056 - 863057 - 863058 - 863059 - 865202 - 863060 -
 863061 - 863062 - 863063 - 863064

Short Form Specification

Item No. _____

Constructed in 304 AISI stainless steel. Basin with sloping bottom.

Short plastic rollers. Square 40x40mm square legs.

N. 4 swiveling casters, 2 with brakes, 125mm in diameter.

Designed for 500x500mm dishwashing baskets.

Knock-down delivery.

Integrated end plate and end limit switch.

Main Features


- Designed to transport 500x500 mm dishwashing baskets.
- "Click-in" connection to the dishwasher curve.
- Four legs included with swivel type casters plus "click-in" connection to the dishwasher curve easily removable for quick access. Two casters equipped with brakes to stabilize the position of the conveyor during normal operation.
- The table can be used in unloading side.
- Manual rack movement with short rollers.
- Supplied knocked-down and easy to assemble.
- Connection of mobile conveyors after a 180° dishwasher driven curve.
- End limit switch and end plate included.
- Connection of end-limit switch to the dishwasher.
- The mobile roller conveyor available from 1145mm (for 2 racks) up to 2645mm (for 5 racks) with 100mm-step length.

Construction

- All surfaces smooth with polished finish.
- AISI 304 1,2mm stainless steel basin.
- 40x40mm stainless steel tubular and square legs.
- Conveyors optionally equipped with guides for racks and plain shelves.
- Swivel type 125 mm castors, of which 2 with brakes.
- Sloping drain below the conveyor leads to the central draining point with a connected dishwasher curve.

APPROVAL: _____

Front


Key Information:
External dimensions, Width:

865200 (HSSRC11M)	1145 mm
863052 (HSSRC12M)	1200 mm
863053 (HSSRC13M)	1300 mm
863054 (HSSRC14M)	1400 mm
863055 (HSSRC15M)	1500 mm
865201 (HSSRC16M)	1645 mm
863056 (HSSRC17M)	1700 mm
863057 (HSSRC18M)	1800 mm
863058 (HSSRC19M)	1900 mm
863059 (HSSRC20M)	2000 mm
865202 (HSSRC21M)	2145 mm
863060 (HSSRC22M)	2200 mm
863061 (HSSRC23M)	2300 mm
863062 (HSSRC24M)	2400 mm
863063 (HSSRC25M)	2500 mm
863064 (HSSRC26M)	2600 mm

External dimensions, Height:

910 mm

External dimensions, Depth:

620 mm

Net weight:

865200 (HSSRC11M)	21 kg
863052 (HSSRC12M)	22 kg
863053 (HSSRC13M)	22.71 kg
863054 (HSSRC14M)	24 kg
863055 (HSSRC15M)	25 kg
865201 (HSSRC16M)	26 kg
863056 (HSSRC17M)	27 kg
863057 (HSSRC18M)	28 kg
863058 (HSSRC19M)	29 kg
863059 (HSSRC20M)	30 kg
865202 (HSSRC21M)	31 kg
863060 (HSSRC22M)	32 kg
863061 (HSSRC23M)	33 kg
863062 (HSSRC24M)	34 kg
863063 (HSSRC25M)	35 kg
863064 (HSSRC26M)	36.1 kg

Height adjustment:

50/50 mm


Basin material:

Stainless Steel AISI 304 - EN


Type of rollers:

Short

Side



Top



	863200	863202	863203	863204	863205	863207	863208	863209	863212	863200	863201	863202	863203	863204
863090 -														
Plain undershell for mobile roller conveyor, 1245 mm														
863091														
Plain undershell for mobile roller conveyor, 1345 mm														
863092														
Plain undershell for mobile roller conveyor, 1445 mm														
863093														
Plain undershell for mobile roller conveyor, 1545 mm														
863094														
Plain undershell for mobile roller conveyor, 1745 mm														
863095														
Plain undershell for mobile roller conveyor, 1845 mm														
863096														
Plain undershell for mobile roller conveyor, 1945 mm														
863097														
Plain undershell for mobile roller conveyor, 2045 mm														
863098														
Plain undershell for mobile roller conveyor, 2245 mm														
863099														
Plain undershell for mobile roller conveyor, 2345 mm														
863100														
Plain undershell for mobile roller conveyor, 2445 mm														
863101														
Plain undershell for mobile roller conveyor, 2545 mm														
863102														
Plain undershell for mobile roller conveyor, 2645 mm														
863103														
Grid undershell for mobile roller conveyor, 1245 mm														
863104														
Grid undershell for mobile roller conveyor, 1345 mm														
863105														
Grid undershell for mobile roller conveyor, 1445 mm														
863106														
Grid undershell for mobile roller conveyor, 1545 mm														
863107														
Grid undershell for mobile roller conveyor, 1745 mm														
863108														
Grid undershell for mobile roller conveyor, 1845 mm														
863109														
Grid undershell for mobile roller conveyor, 1945 mm														
863110														
Grid undershell for mobile roller conveyor, 2045 mm														
863111														
Grid undershell for mobile roller conveyor, 2245 mm														
863112														
Grid undershell for mobile roller conveyor, 2345 mm														
863113														
Grid undershell for mobile roller conveyor, 2445 mm														
863114														
Grid undershell for mobile roller conveyor, 2545 mm														
863115														
Grid undershell for mobile roller conveyor, 2645 mm														
863116														
Grid undershell for mobile roller conveyor, 2445 mm														
863117														
Grid undershell for mobile roller conveyor, 2445 mm														
863118														
Grid undershell for mobile roller conveyor, 2445 mm														
863119														
Grid undershell for mobile roller conveyor, 2445 mm														
863120														
Grid undershell for mobile roller conveyor, 1745 mm														
863121														
Grid undershell for mobile roller conveyor, 1845 mm														
863122														
Grid undershell for mobile roller conveyor, 1945 mm														
863123														
Grid undershell for mobile roller conveyor, 2045 mm														
863124														
Grid undershell for mobile roller conveyor, 2245 mm														
863125														
Grid undershell for mobile roller conveyor, 2345 mm														
863126														
Grid undershell for mobile roller conveyor, 2445 mm														
863127														
Grid undershell for mobile roller conveyor, 2445 mm														
863128														
Grid undershell for mobile roller conveyor, 2445 mm														
863129														
Grid undershell for mobile roller conveyor, 2445 mm														
863130														
Grid rack for 4 dishwasher baskets, 1800 mm - 1900 mm														
863131														
Grid rack for 8 dishwasher baskets, 1600 mm - 2000 mm														
863132														
Grid rack for 12 dishwasher baskets, 2000 mm - 2500 mm														
863133														
Grid rack for 16 dishwasher baskets, 2400 mm														
863134														
Plain undershell for mobile roller conveyor, 1145 mm														
863225														
Plain undershell for mobile roller conveyor, 1645 mm														
863229														
Plain undershell for mobile roller conveyor, 2145 mm														
863235														
Connection bracket for plain undershell and grid undershell (to be used if roller conveyor is connected directly to Rack Type Dishwasher with splash hood)														
863240														
Grid undershell for mobile roller conveyor, 1145 mm														
863241														
Grid undershell for mobile roller conveyor, 1645 mm														
863242														
Grid undershell for mobile roller conveyor, 2145 mm														

Optional Accessories