

KEG RACKS

DESIGN: The open and removable wire decking design of these shelves minimizes dust accumulation while keeping the kegs off of the floor for cleanliness. The system constitutes a cost effective and easier way of handling kegs, barrels and cases.

CONSTRUCTION: All shelves are constructed of 1" square tubular steel with removable wire decking. Heavy-gauge carbon steel posts and chrome foot plates set forth a system able to withstand the heavy load of full kegs and the repeated impact of being loaded and unloaded.

FINISH:

Gray Epoxy: is an ideal solution for high humidity, wet, or walk-in-cooler applications. The carbon steel is treated with an iron phosphate and the powder coated epoxy is electrostatically applied, baked and cured to a hard surface. 15 year limited warranty for antimicrobial finish to not rust or corrode.

ADAPTABLE: Multiple combinations enable custom storage space layouts and doubles the storage capacity without changing the size of the cooler.

QUICK, EASY ASSEMBLY: Posts have a double groove visual guide feature every 8", circular grooves at 1" increments, and are numbered at 1" intervals. Tapered split sleeve snaps together around each post. Tapered openings in the shelf corners slide over the tapered split sleeves providing a positive lock. Shelf is assembled in minutes without the use of any special tools.

ADJUSTABLE: Shelves can be adjusted at 1" intervals along length of the post.

ADJUSTABLE FOOT PLATES: Triangular plate allows additional surface to disperse weight.

INVENTORY: Keg racks provide a neat and orderly way to store kegs for easier inventory control. Multiple kegs of the same brand can be stored in series allowing the handling of more brands, resulting in a considerable increase of potential sales.

NSF APPROVED: Antimicrobial additive protects the epoxy from bacteria, mold and mildew, that causes stains, odors and product degradation.

SHIPPED KD









UNITS

Heavy-duty keg racks allow up 1,600 lbs per shelf capacity. All units come complete with 1 or 2 dunnage shelves, 1 or 2 3-sided frame and 4 posts. Additional shelves may be purchased separately.

DIMENSIONS W" x L" x H"	SHIP WGT	MODEL NO.	KEGS CAPACITY
	1-TIER		
18" x 36" x 34"	40 lbs	183634DGY	2
18" x 48" x 34"	48 lbs	184834DGY	3
18" x 60" x 34"	55 lbs	186034DGY	3
24" x 36" x 34"	44 lbs	243634DGY	2
24" x 48" x 34"	51 lbs	244834DGY	3
24" x 60" x 34"	59 lbs	246034DGY	3
	2-TIER		
18" x 36" x 54"	68 lbs	183654DGY	4
18" x 48" x 54"	84 lbs	184854DGY	6
18" x 60" x 54"	98 lbs	186054DGY	6
24" x 36" x 54"	76 lbs	243654DGY	4
24" x 48" x 54"	90 lbs	244854DGY	6
24" x 60" x 54"	106 lbs	246054DGY	6





3-SIDED FRAME

Tubular 3-sided frame is constructed of 1" square tubing. Its design adds structure to the perimeter of a dunnage or shelving unit.

DIMENSIONS W" x L"	SHIP WGT	MODEL NO.
18" x 36"	7 lbs	1836FGY
18" x 48"	8 lbs	1848FGY
18" x 60"	9 lbs	1860FGY
24" x 36"	8 lbs	2436FGY
24" x 48"	9 lbs	2448FGY
24" x 60"	10 lbs	2460FGY



3-SIDED FRAME

Highest Quality, Lowest Price Guaranteed!

QUANTUM FOOD SERVICE

15800 NW 15TH AVENUE, MIAMI, FLORIDA 33169 TOLL-FREE: (888) 993-3370 FAX: (954) 369-2512 E-MAIL: SALES@QUANTUMFOODSERVICE.COM WWW.QUANTUMFOODSERVICE.COM





DUNNAGE SHELVES

Plastic Split Sleeves - are included with each shelf

Model No: WR-SS (4 Pairs)

Load capacity (evenly distributed) per shelf

Widths: 18" and 24"

Lengths: 1,600 lbs. for 36" to 48"

1,300 lbs. for 60"

SHIP WGT	MODEL NO.
21 lbs	1836DSGY
28 lbs	1848DSGY
34 lbs	1860DSGY
24 lbs	2436DSGY
30 lbs	2448DSGY
37 lbs	2460DSGY
	21 lbs 28 lbs 34 lbs 24 lbs 30 lbs

POSTS


- Numbered grooved posts on 1" increments for quick assembly
- Post Leveler Insert & Leveling Bolt
 use to account for uneven floors, it adjusts up or down allowing height flexibility

Leveler Insert:

Model No: W-PLI
Leveling Bolt:

Model No: W-PLB

DIMENSIONS H"	SHIP WGT	MODEL NO.
6"	4 lbs	P6GY
14"	1 lbs	P14GY
34"	2 lbs	P34GY
54"	3 lbs	P54GY
63"	4 lbs	P63GY
74"	4 lbs	P74GY
86"	5 lbs	P86GY
96"	6 lbs	P96GY



ACCESSORIES



WR-WMB

Post Wall Mount Bracket
Mounts posts to wall securely.
2" clearence required.
Finish: Chrome

FG

Non-Marring Floor Glides
Affixes to bottom of bolt,
Serves as protection to
prevent marring of floors.
Sold as pack of 4





PS-LH3

Hanging Label Tag
Fits 1-3/" x 3" adhesive label.
Available in 5 colors (pack of 25)

E-MAIL: SALES@QUANTUMFOODSERVICE.COM WWW.QUANTUMFOODSERVICE.COM