

## Polar Cuisine Remote Refrigerated or Freezer Base

Project \_\_\_\_\_  
 Item \_\_\_\_\_  
 Quantity \_\_\_\_\_  
 CSI Section 11400  
 Approved \_\_\_\_\_  
 Date \_\_\_\_\_

### Models

#### Refrigeration Units

- |           |             |              |            |            |
|-----------|-------------|--------------|------------|------------|
| • UN17R36 | • UN17R60   | • N171927R72 | • UN17R96  | • UN17R114 |
| • UN17R48 | • UN17R66   | • UN17R84    | • UN17R102 | • UN17R120 |
| • UN17R54 | • UN1732R72 | • UN17R90    | • UN17R108 |            |

#### Freezer Units

- |            |            |            |
|------------|------------|------------|
| • UN17FR36 | • UN17FR54 | • UN17FR66 |
| • UN17FR48 | • UN17FR60 | • UN17FR72 |



C36-6M modular top on a UN17R36 Polar Cuisine remote refrigeration base shown with optional casters

### Standard Features

- Stainless steel exterior front and sides
- ABS interior door front and cabinet sides, stainless steel interior top, rear and bottom
- Santoprene magnetic door gasket
- Heavy-duty stainless steel drawer slides with stainless steel bearings.
- Center-located, flush-mounted handle
- Front face-mounted scroll type thermometer
- 6" (152mm) mechanical with removable front panel for all refrigerant and electrical connections
- 6" (152mm) adjustable legs
- Vertically mounted blower coil, HFC-404A refrigerant
- Removable track assembly drawers with a 10-year warranty for parts
- Standard drawers with mullion between drawers accommodates 12"x 20" x 4" deep hotel pans

Note: Compressor by others. Unit must be hard wired on site

### Options & Accessories

- Extra deep drawers without mullion to accommodate 6" deep hotel pans (150mm deep Gn 1/1 pans)
- Casters
- Doors and tray racks to accommodate sheet pans in lieu of drawers, N/A on 32" drawers

### Specifications

Garland low-height Remote Refrigerated or Freezer Base to be exclusively used under Garland Heavy-Duty Series modular tops.

Stainless steel exterior front and sides.

ABS interior door front and cabinet sides, and stainless steel interior top, rear and bottom.

Santoprene magnetic door gasket.

Galvanized steel bottom and back of base.

CFC-free foamed in-place insulation.

Removable stainless steel roller drawer assembly with self-lubricating rollers.

Roller assemblies carry a 10-year parts warranty.

Standard drawers accommodate 12" x 20" x 4" deep hotel pans.

HFC-404A refrigeration system supplied with electric condensate evaporator, solenoid and thermostat.

Units must be hard-wired on site.

Vertically mounted blower coil on inside cabinet.

6" (152mm) mechanical section for all refrigerant, and electrical connections.


Units equipped with scroll type thermometer. 6" (152mm) adjustable legs standard.

**NOTE:** Bases supplied with casters must be installed with an approved restraining device.




Polar Cuisine Remote Refrigerated Or Freezer Base


DRAWER CONFIGURATIONS





27" DRAWER



32" DRAWER




19" DRAWER



NOTE: All Bases must be order with Garland Cuisine Series or combination of Garland Cuisine Series Modular tops Only. Please specific when ordering modular tops if they are for refrigerated base mount.

Garland products are not approved or authorized for home or residential use, but are intended for commercial applications only. Garland will not provide service, warranty, maintenance or support of any kind other than in commercial applications.



## Remote Refrigerators

| Base Configuration (Left to Right) |                |               |                |                                            |     |     |                      |
|------------------------------------|----------------|---------------|----------------|--------------------------------------------|-----|-----|----------------------|
| Model Number                       | Length In (mm) | Depth In (mm) | Height In (mm) | Draw Size Openings (2 drawers per section) |     |     | Full Size Hotel Pans |
|                                    |                |               |                | 19"                                        | 27" | 32" |                      |
| UN17R36                            | 36 (914)       | 32-3/4 (832)  | 26-3/16 (665)  | 1                                          |     |     | 2                    |
| UN17R48                            | 48 (1219)      | 32-3/4 (832)  | 26-3/16 (665)  |                                            |     | 1   | 4                    |
| UN17R54                            | 54 (1312)      | 32-3/4 (832)  | 26-3/16 (665)  | 1                                          | 1   |     | 6                    |
| UN17R60                            | 60 (1524)      | 32-3/4 (832)  | 26-3/16 (665)  |                                            | 2   |     | 8                    |
| UN17R66                            | 66 (1676)      | 32-3/4 (832)  | 26-3/16 (665)  |                                            | 1   | 1   | 8                    |
| UN1732R72                          | 72 (1829)      | 32-3/4 (832)  | 26-3/16 (665)  |                                            |     | 2   | 8                    |
| UN171927R72                        | 72 (1829)      | 32-3/4 (832)  | 26-3/16 (665)  | 2                                          | 1   |     | 8                    |
| UN17R84                            | 84 (2134)      | 32-3/4 (832)  | 26-3/16 (665)  | 1                                          | 1   | 1   | 10                   |
| UN17R90                            | 90 (2286)      | 32-3/4 (832)  | 26-3/16 (665)  | 1                                          |     | 2   | 10                   |
| UN17R96                            | 96 (2428)      | 32-3/4 (832)  | 26-3/16 (665)  |                                            | 2   | 1   | 12                   |
| UN17R102                           | 102 (2591)     | 32-3/4 (832)  | 26-3/16 (665)  |                                            |     | 3   | 12                   |
| UN17R108                           | 108 (2743)     | 32-3/4 (832)  | 26-3/16 (665)  | 2                                          |     | 2   | 12                   |
| UN17R114                           | 114 (2896)     | 32-3/4 (832)  | 26-3/16 (665)  |                                            | 4   |     | 16                   |
| UN17R120                           | 120 (3048)     | 32-3/4 (832)  | 26-3/16 (665)  |                                            | 4   |     | 16                   |

## Remote Freezer

| Base Configuration (Left to Right) |                |               |                |                                            |     |     |                      |
|------------------------------------|----------------|---------------|----------------|--------------------------------------------|-----|-----|----------------------|
| Model Number                       | Length In (mm) | Depth In (mm) | Height In (mm) | Draw Size Openings (2 drawers per section) |     |     | Full Size Hotel Pans |
|                                    |                |               |                | 19"                                        | 27" | 32" |                      |
| UN17FR36                           | 36             | 32-3/4        | 26.19          | 1                                          |     |     | 2                    |
| UN17FR48                           | 48             | 32-3/4        | 26.19          |                                            |     | 1   | 4                    |
| UN17FR54                           | 54             | 32-3/4        | 26.19          | 2                                          |     |     | 4                    |
| UN17FR60                           | 60             | 32-3/4        | 26.19          | 1                                          | 1   |     | 6                    |
| UN17FR66                           | 66             | 32-3/4        | 26.19          |                                            | 2   |     | 8                    |
| UN17FR72                           | 72             | 32-3/4        | 26.19          |                                            | 1   | 1   | 8                    |

### Remote Refrigerators

| Base Configuration (Left to Right) |                          |      |     |            |                |                   |
|------------------------------------|--------------------------|------|-----|------------|----------------|-------------------|
| Model Number                       | Agency Reference Model # | H.P. | BTU | Volts/Amps | Cu.FT. (crate) | Ship Weight lb/kg |
| UN17R36                            | 000-201TP4T1             | 1/5* | 233 | 115/3      | 30             | 247/112           |
| UN17R48                            | 000-201TP4T2             | 1/5* | 373 | 115/3      | 40             | 322/146           |
| UN17R54                            | 000-201TP4T3             | 1/5* | 410 | 115/3      | 45             | 355/116           |
| UN17R60                            | 000-201TP4T4             | 1/5* | 432 | 115/3      | 47             | 361/164           |
| UN17R66                            | 000-201TP4T5             | 1/5* | 536 | 115/3      | 52             | 431/196           |
| UN1732R72                          | 000-201TP4T6             | 1/5* | 572 | 115/3      | 56             | 458/208           |
| UN171927R72                        | 000-201TP4T7             | 1/5* | 675 | 115/3      | 56             | 533/242           |
| UN17R84                            | 000-201TP4T8             | 1/4* | 756 | 115/6      | 67             | 570/268           |
| UN17R90                            | 000-201TP4T9             | 1/4* | 815 | 115/6      | 73             | 607/276           |
| UN17R96                            | 000-201TP4TA             | 1/4* | 852 | 115/6      | 77             | 637/280           |
| UN17R102                           | 000-201TP4TB             | 1/4* | 889 | 115/6      | 81             | 675/306           |
| UN17R108                           | 000-201TP4TC             | 1/4* | 918 | 115/6      | 85             | 720/327           |
| UN17R114                           | 000-201TP4TD             | 1/4* | 977 | 115/6      | 90             | 750/340           |
| UN17R120                           | 000-201TP4TE             | 1/4* | 990 | 115/6      | 95             | 770               |

### Remote Freezer

| Base Configuration (Left to Right) |                          |      |      |            |                |                   |
|------------------------------------|--------------------------|------|------|------------|----------------|-------------------|
| Model Number                       | Agency Reference Model # | H.P. | BTU  | Volts/Amps | Cu.FT. (crate) | Ship Weight lb/kg |
| UN17FR36                           | 000-201TP4TR             | 1/3* | 995  | 115/10     | 30             | 247/112           |
| UN17FR48                           | 000-201TP4TG             | 1/3* | 995  | 115/10     | 40             | 322/146           |
| UN17FR54                           | 000-201TP4TH             | 1/2* | 1116 | 115/10     | 45             | 355/116           |
| UN17FR60                           | 000-201TP4TI             | 3/4* | 1116 | 115/10     | 47             | 361/164           |
| UN17FR66                           | 000-201TP4TJ             | 3/4* | 1399 | 115/10     | 52             | 431/196           |
| UN17FR72                           | 000-201TP4TK             | 3/4* | 1461 | 115/10     | 56             | 533/242           |
| UN17FC84                           | 000-201TP4T13            | 1/3  | 1564 | 115/16*    | 64             | 604/274           |
| UN17FC90                           | 000-201TP4T14            | 1/3  | 1700 | 115/16*    | 73             | 655/297           |

\*Note: Unit comes with Nema 5-20P plug

Note: All other North American units come with Nema 5-15P plug.

Garland reserves the right to make changes to the design or specifications without prior notice.

Garland Commercial Ranges Ltd.  
1177 Kamato Road,  
Mississauga, Ontario  
L4W 1X4 CANADA

General Inquires 1-905-624-0260  
USA Sales, Parts and Service 1-800-424-2411  
Canadian Sales 1-888-442-7526  
Canada or USA Parts/Service 1-800-427-6668

[www.garland-group.com](http://www.garland-group.com)  
8128  
11/24

