



STAINLESS STEEL

# MULTI-STATION FLOOR MOUNTED SQUARE CORNER SINKS WITH TUBULAR LEGS & CROSS BRACING

## KNEE OPERATED



19-FM-23KV Shown



19-FM-40KV Shown



19-FM-60KV Shown



19-FM-120KV Shown

Item #: \_\_\_\_\_ Qty #: \_\_\_\_\_  
 Model #: \_\_\_\_\_  
 Project #: \_\_\_\_\_



Knee Valves Included

### FEATURES:

8 1/2" high backsplash.

**Standard Series:** 8" sink bowl depth.

Stainless steel "Z" brackets.

3 1/2" **K-6** rear basket drain(s).

Tubular stainless steel legs with flanged feet.

Side & rear adjustable cross-bracing with leg clamps.

**Knee Operated:** Includes **7-PS-32** knee valve(s) and **K-121** spout(s).

### CONSTRUCTION:

All TIG welded.

Welded areas blended to match adjacent surfaces and to a satin finish.

### MATERIAL:

16 gauge type "304" stainless steel.

1 5/8" tubular "304" stainless steel supports.

### MECHANICAL:

Single faucet hole punch at each station.

| # Of Stations | 16 Gauge Sinks Without Faucets | # Of Faucets | # Of Valves |
|---------------|--------------------------------|--------------|-------------|
| 1             | 19-FM-23KV                     | 1 Faucet     | 1 Valve     |
| 2             | 19-FM-40KV                     | 2 Faucets    | 2 Valves    |
| 2             | 19-FM-48KV                     | 2 Faucets    | 2 Valves    |
| 3             | 19-FM-60KV                     | 3 Faucets    | 3 Valves    |
| 3             | 19-FM-72KV                     | 3 Faucets    | 3 Valves    |
| 4             | 19-FM-80KV                     | 4 Faucets    | 4 Valves    |
| 4             | 19-FM-96KV                     | 4 Faucets    | 4 Valves    |
| 5             | 19-FM-100KV                    | 5 Faucets    | 5 Valves    |
| 6             | 19-FM-120KV                    | 6 Faucets    | 6 Valves    |

**WARNING:** Equipment that include faucets on this page may contain a chemical known to the State of California to cause cancer, birth defects or other reproductive harm.



Customer Service Available To Assist You 1-800-645-3166 8:30 am - 7:00 pm E.S.T.

For Orders & Customer Service:

Email: [customer@advancetabco.com](mailto:customer@advancetabco.com) or Fax: 631-242-6900

For Smart Fabrication™ Quotes:

Email: [smartfab@advancetabco.com](mailto:smartfab@advancetabco.com) or Fax: 631-586-2933

REF-JJ


# DETAILS and SPECIFICATIONS

TOL ± .500"



FITTINGS SUPPLIED AS SHOWN

ALL DIMENSIONS ARE TYPICAL

## MULTI-STATION FLOOR MOUNTED SQUARE CORNER SINKS WITH TUBULAR LEGS & CROSS BRACING **KNEE OPERATED**



**SEE PAGE 3  
FOR  
PLUMBING  
ROUGH-INS**



| # Of Stations       | L    | 16 Gauge Sinks Without Faucets | Wt. | # Of Drains | # Of Faucets | Cu. |
|---------------------|------|--------------------------------|-----|-------------|--------------|-----|
| STANDARD - 8" DEPTH |      |                                |     |             |              |     |
| 1                   | 23"  | 19-FM-23KV                     | 60  | 1           | 2            | 15  |
| 2                   | 40"  | 19-FM-40KV                     | 92  | 1           | 2            | 15  |
| 2                   | 48"  | 19-FM-48KV                     | 112 | 1           | 2            | 16  |
| 3                   | 60"  | 19-FM-60KV                     | 130 | 1           | 3            | 22  |
| 3                   | 72"  | 19-FM-72KV                     | 146 | 1           | 3            | 23  |
| 4                   | 80"  | 19-FM-80KV                     | 152 | 2           | 4            | 28  |
| 4                   | 96"  | 19-FM-96KV                     | 162 | 2           | 4            | 30  |
| 5                   | 100" | 19-FM-100KV                    | 200 | 2           | 5            | 35  |
| 6                   | 120" | 19-FM-120KV                    | 235 | 3           | 6            | 42  |




# PLUMBING ROUGH-INS

TOL ± .500"

FITTINGS SUPPLIED AS SHOWN


ALL DIMENSIONS ARE TYPICAL

## MULTI-STATION FLOOR MOUNTED SQUARE CORNER SINKS WITH TUBULAR LEGS & CROSS BRACING KNEE OPERATED



Leg Support Locations

| Model #     | L1     | L2      | L3      | L4       |
|-------------|--------|---------|---------|----------|
| 19-FM-23KV  | 2 5/8" | 16 3/4" | N/A     | N/A      |
| 19-FM-40KV  | 2 5/8" | 34 3/4" | N/A     | N/A      |
| 19-FM-48KV  | 2 5/8" | 42 3/4" | N/A     | N/A      |
| 19-FM-60KV  | 2 5/8" | 53 3/4" | N/A     | N/A      |
| 19-FM-72KV  | 2 5/8" | 66 3/4" | N/A     | N/A      |
| 19-FM-80KV  | 2 5/8" | 74 3/4" | N/A     | N/A      |
| 19-FM-96KV  | 2 5/8" | 48"     | 93 3/8" | N/A      |
| 19-FM-100KV | 2 5/8" | 40 1/4" | 59 3/4" | 97 3/8"  |
| 19-FM-120KV | 2 5/8" | 40"     | 80"     | 117 3/8" |



| # Of Stations       | L    | Model       | B       | C   | D  | E      | F       | G   | H       | I   | J    | X1      | X2      | X3      | X4      | X5  | X6   |
|---------------------|------|-------------|---------|-----|----|--------|---------|-----|---------|-----|------|---------|---------|---------|---------|-----|------|
| STANDARD - 8" DEPTH |      |             |         |     |    |        |         |     |         |     |      |         |         |         |         |     |      |
| 1                   | 23"  | 19-FM-23KV  | 11 1/2" | N/A | 8" | 8 1/2" | N/A     | N/A | N/A     | N/A | N/A  | 11 1/2" | N/A     | N/A     | N/A     | N/A | N/A  |
| 2                   | 40"  | 19-FM-40KV  | 20"     | N/A | 8" | 11"    | 29"     | N/A | N/A     | N/A | N/A  | 11"     | 29"     | N/A     | N/A     | N/A | N/A  |
| 2                   | 48"  | 19-FM-48KV  | 24"     | N/A | 8" | 11"    | 37"     | N/A | N/A     | N/A | N/A  | 11"     | 37"     | N/A     | N/A     | N/A | N/A  |
| 3                   | 60"  | 19-FM-60KV  | 30"     | N/A | 8" | 11"    | 21"     | N/A | N/A     | N/A | N/A  | 11"     | 30"     | 49"     | N/A     | N/A | N/A  |
| 3                   | 72"  | 19-FM-72KV  | 36"     | N/A | 8" | 11"    | 36"     | 61" | N/A     | N/A | N/A  | 11"     | 36"     | 61"     | N/A     | N/A | N/A  |
| 4                   | 80"  | 19-FM-80KV  | 40"     | N/A | 8" | 11"    | 29"     | 51" | 69"     | N/A | N/A  | 11"     | 29"     | 51"     | 69"     | N/A | N/A  |
| 4                   | 96"  | 19-FM-96KV  | 32"     | 32" | 8" | 11"    | 34 1/4" | 62" | 85"     | N/A | N/A  | 11"     | 34 1/4" | 63 3/4" | 85"     | N/A | N/A  |
| 5                   | 100" | 19-FM-100KV | 29"     | 42" | 8" | 11"    | 30 1/2" | 50" | 69 1/2" | 89" | N/A  | 11"     | 30 1/2" | 50"     | 69 1/2" | 89" | n/a  |
| 6                   | 120" | 19-FM-120KV | 29"     | 31" | 8" | 11"    | 29"     | 51" | 69"     | 91" | 109" | 11"     | 29"     | 51"     | 69"     | 91" | 109" |



REF-JJ

325 Wireless Boulevard, Hauppauge, NY 11788

ADVANCE TABCO is constantly engaged in a program of improving our products. Therefore, we reserve the right to change specifications without prior notice.

© ADVANCE TABCO, SEPTEMBER 2026