



FOOD EQUIPMENT

SERVING THE FOOD INDUSTRY SINCE 1951

SANTOS #54 DRINK MIXER / ELECTRIC SHAKER

Item: 44634 Model: SANTOS 54



**CREATE DELICIOUS
BLENDED DRINKS ANYTIME!**


Santos' #54 drink mixer / electric shaker is the ideal equipment to make milk shakes, cappuccino cream, smoothies, and ice cream drinks. This heavy duty mixer has a silent motor and a speed variation from 8,000 to 16,000 RPM.



Authorized Dealer

FOOD EQUIPMENT

SANTOS #54 DRINK MIXER / ELECTRIC SHAKER



Features:

- A speed variation from 8,000 to 16,000 RPM
- Heavy duty and silent motor
- Automatic motor activation with bowl detection
- Comes with:
 - 2 bowls (0.675 L / 24 fl oz): 1 stainless steel bowl and 1 plastic bowl
 - 3 removable agitators (by simply screwing / unscrewing on the spindle):
 - » 1 universal spherical agitator for all beverages
 - » 1 rubber agitator for creamy beverages
 - » 1 winged deep agitator for frozen coffee



OMCAN INC.

Telephone: 1-800-465-0234

Fax: (905) 607-0234

E-mail: sales@omcan.com

Website: www.omcan.com



Follow us to keep up to date with the latest news and offers



2019.E.O.E

FOOD EQUIPMENT

SANTOS #54 DRINK MIXER / ELECTRIC SHAKER



TECHNICAL SPECIFICATIONS

ITEM NUMBER	44634
MODEL	SANTOS 54
POWER	250W
VARIABLE SPEED	8,000 - 16,000 RPM
ELECTRICAL	120V / 60Hz / 1Ph
DIMENSIONS (WDH)	7.5" x 7.5" x 20" / 190.5 x 190.5 x 508 mm
NET WEIGHT	12.7 lbs. / 5.7 kg.
GROSS DIMENSIONS	8.5" x 9.6" x 23.5" / 215.9 x 243.84 x 596.9 mm
GROSS WEIGHT	14 lbs. / 6.3 kg.

SAFETY | STANDARDS | HYGIENE

In accordance with the following regulations:

- Machinery directive 2006 / 42 / EC
- Electromagnetic compatibility 2004 / 108 / EC
- Low voltage directive 2006 / 95 / EC
- RoHS directive 2002 / 95 / EC
- Regulation 1935/2004/EC (contact with food)

Harmonized European standards

- EN ISO 12100-1 and 2: 2004 - EN 60204-1: 2006
- EN 60335-2-64: 2004: Commercial electric kitchen machines
- CE Europe
- NSF (USA)
- UL (USA) & cUL (Canada)

Electric Safety

- All mechanical parts are ground (earth) connected.
- All equipment is perfectly controlled after assembly (special electrical testing bay).
- Overload safety.

Thermal Safety

Motor protected by internal thermal detector and thermally disconnected from the body to protect use against heat.

Acoustic Safety

The universal motor is particularly silent.

Hygiene

All removable parts can be put in a dishwasher or easily cleaned with hot soapy water (NSF approved).

OMCAN INC.

Telephone: 1-800-465-0234

Fax: (905) 607-0234

E-mail: sales@omcan.com

Website: www.omcan.com



Follow us to keep up to date with the latest news and offers



2019.E.O.E